

Datasheet for ABIN7555135 RAB17 Protein (AA 1-212) (His tag)



| _ | | | |
|-----|-------|------|----------|
| () | 11/0 | r\ / | iew |
| | ' V C | IV | I C. V V |

| Quantity: | 1 mg |
|-------------------------------|--|
| Target: | RAB17 |
| Protein Characteristics: | AA 1-212 |
| Origin: | Human |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This RAB17 protein is labelled with His tag. |
| Application: | SDS-PAGE (SDS), Western Blotting (WB) |

| Product Details | |
|------------------|---|
| Purpose: | Custom-made recombinat RAB17 Protein expressed in mammalien cells. |
| Sequence: | MAQAHRTPQP RAAPSQPRVF KLVLLGSGSV GKSSLALRYV KNDFKSILPT VGCAFFTKVV |
| | DVGATSLKLE IWDTAGQEKY HSVCHLYFRG ANAALLVYDI TRKDSFLKAQ QWLKDLEEEL |
| | HPGEVLVMLV GNKTDLSQER EVTFQEGKEF ADSQKLLFME TSAKLNHQVS EVFNTVAQEL |
| | LQRSDEEGQA LRGDAAVALN KGPARQAKCC AH Sequence without tag. The proposed |
| | Purification-Tag is based on experiences with the expression system, a different complexity |
| | of the protein could make another tag necessary. In case you have a special request, please |
| | contact us. |
| Characteristics: | Key Benefits: |
| | Made to order protein - from design to production - by highly experienced protein experts. |
| | Protein expressed in mammalien cells and purified in one-step affinity chromatography |

· The optimized expression system ensures reliability for intracellular, secreted and

transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

| Target: | RAB17 |
|-------------------|---|
| Alternative Name: | RAB17 (RAB17 Products) |
| Background: | Ras-related protein Rab-17,FUNCTION: The small GTPases Rab are key regulators of |
| | intracellular membrane trafficking, from the formation of transport vesicles to their fusion with |
| | membranes. Rabs cycle between an inactive GDP-bound form and an active GTP-bound form |
| | that is able to recruit to membranes different set of downstream effectors directly responsible |
| | for vesicle formation, movement, tethering and fusion. That Rab is involved in transcytosis, the |
| | directed movement of endocytosed material through the cell and its exocytosis from the |
| | plasma membrane at the opposite side. Mainly observed in epithelial cells, transcytosis |
| | mediates for instance, the transcellular transport of immunoglobulins from the basolateral |
| | surface to the apical surface. Most probably controls membrane trafficking through apical |
| | recycling endosomes in a post-endocytic step of transcytosis. Required for melanosome |
| | transport and release from melanocytes, it also regulates dendrite and dendritic spine |
| | development (By similarity). May also play a role in cell migration. {ECO:0000250, |
| | ECO:0000269 PubMed:22328529}. |
| Molecular Weight: | 23.5 kDa |
| UniProt: | Q9H0T7 |

Application Details

| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. |
|--------------------|--|
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | The buffer composition is at the discretion of the manufacturer. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | 12 months |