

Datasheet for ABIN7555180 **RAD23A Protein (AA 1-363) (His tag)**



Overview

Quantity:	1 mg
Target:	RAD23A
Protein Characteristics:	AA 1-363
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RAD23A protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:	MAVTITLKTL QQQTFKIRME PDETVKVLKE KIEAEKGRDA FPVAGQKLIY AGKILSDDVP IRDYRIDEKN FVVVMVTKTK AGQGTSAPPE ASPTAAPESS TSFPPAPTSG MSHPPPAARE
	DKSPSEESAP TTSPESVSGS VPSSGSSGRE EDAASTLVTG SEYETMLTEI MSMGYERERV
	VAALRASYNN PHRAVEYLLT GIPGSPEPEH GSVQESQVSE QPATEAAGEN PLEFLRDQPQ
	FQNMRQVIQQ NPALLPALLQ QLGQENPQLL QQISRHQEQF IQMLNEPPGE LADISDVEGE
	VGAIGEEAPQ MNYIQVTPQE KEAIERLKAL GFPESLVIQA YFACEKNENL AANFLLSQNF DDE
	Sequence without tag. The proposed Purification-Tag is based on experiences with the
	expression system, a different complexity of the protein could make another tag necessary.
	In case you have a special request, please contact us.

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	RAD23A
Alternative Name:	RAD23A (RAD23A Products)
Background:	UV excision repair protein RAD23 homolog A (HR23A) (hHR23A),FUNCTION: Multiubiquitin
	chain receptor involved in modulation of proteasomal degradation. Binds to 'Lys-48'-linked
	polyubiquitin chains in a length-dependent manner and with a lower affinity to 'Lys-63'-linked
	polyubiquitin chains. Proposed to be capable to bind simultaneously to the 26S proteasome
	and to polyubiquitinated substrates and to deliver ubiquitinated proteins to the proteasome.,
	FUNCTION: Involved in nucleotide excision repair and is thought to be functional equivalent for
	RAD23B in global genome nucleotide excision repair (GG-NER) by association with XPC. In vitro,
	the XPC:RAD23A dimer has NER activity. Can stabilize XPC., FUNCTION: (Microbial infection)
	Involved in Vpr-dependent replication of HIV-1 in non-proliferating cells and primary
	macrophages. Required for the association of HIV-1 Vpr with the host proteasome.
	{ECO:0000269 PubMed:20614012}.
Molecular Weight:	39.6 kDa
UniProt:	P54725

Target Details

Pathways:	DNA Damage Repair
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months