

Datasheet for ABIN7555266

Raptor Protein (AA 1-1335) (His tag)



Overview

Quantity:	1 mg
Target:	Raptor (RPTOR)
Protein Characteristics:	AA 1-1335
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Raptor protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Durnoso:	Custom-made recombinat RPTOR Protein expressed in mammalien cells.
Purpose:	Custom-made recombinat RFTOR Frotein expressed in manimalien cells.
Sequence:	MESEMLQSPL LGLGEEDEAD LTDWNLPLAF MKKRHCEKIE GSKSLAQSWR MKDRMKTVSV
	ALVLCLNVGV DPPDVVKTTP CARLECWIDP LSMGPQKALE TIGANLQKQY ENWQPRARYK
	QSLDPTVDEV KKLCTSLRRN AKEERVLFHY NGHGVPRPTV NGEVWVFNKN YTQYIPLSIY
	DLQTWMGSPS IFVYDCSNAG LIVKSFKQFA LQREQELEVA AINPNHPLAQ MPLPPSMKNC
	IQLAACEATE LLPMIPDLPA DLFTSCLTTP IKIALRWFCM QKCVSLVPGV TLDLIEKIPG
	RLNDRRTPLG ELNWIFTAIT DTIAWNVLPR DLFQKLFRQD LLVASLFRNF LLAERIMRSY
	NCTPVSSPRL PPTYMHAMWQ AWDLAVDICL SQLPTIIEEG TAFRHSPFFA EQLTAFQVWL
	TMGVENRNPP EQLPIVLQVL LSQVHRLRAL DLLGRFLDLG PWAVSLALSV GIFPYVLKLL
	QSSARELRPL LVFIWAKILA VDSSCQADLV KDNGHKYFLS VLADPYMPAE HRTMTAFILA
	VIVNSYHTGQ EACLQGNLIA ICLEQLNDPH PLLRQWVAIC LGRIWQNFDS ARWCGVRDSA
	HEKLYSLLSD PIPEVRCAAV FALGTFVGNS AERTDHSTTI DHNVAMMLAQ LVSDGSPMVR

KELVVALSHL VVQYESNFCT VALQFIEEEK NYALPSPATT EGGSLTPVRD SPCTPRLRSV SSYGNIRAVA TARSLNKSLQ NLSLTEESGG AVAFSPGNLS TSSSASSTLG SPENEEHILS FETIDKMRRA SSYSSLNSLI GVSFNSVYTQ IWRVLLHLAA DPYPEVSDVA MKVLNSIAYK ATVNARPQRV LDTSSLTQSA PASPTNKGVH IHQAGGSPPA SSTSSSSLTN DVAKQPVSRD LPSGRPGTTG PAGAQYTPHS HQFPRTRKMF DKGPEQTADD ADDAAGHKSF ISATVQTGFC DWSARYFAQP VMKIPEEHDL ESQIRKEREW RFLRNSRVRR QAQQVIQKGI TRLDDQIFLN RNPGVPSVVK FHPFTPCIAV ADKDSICFWD WEKGEKLDYF HNGNPRYTRV TAMEYLNGQD CSLLLTATDD GAIRVWKNFA DLEKNPEMVT AWQGLSDMLP TTRGAGMVVD WEQETGLLMS SGDVRIVRIW DTDREMKVQD IPTGADSCVT SLSCDSHRSL IVAGLGDGSI RVYDRRMALS ECRVMTYREH TAWVVKASLQ KRPDGHIVSV SVNGDVRIFD PRMPESVNVL QIVKGLTALD IHPQADLIAC GSVNQFTAIY NSSGELINNI KYYDGFMGQR VGAISCLAFH PHWPHLAVGS NDYYISVYSV EKRVR Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

Raptor (RPTOR)

Alternative Name:

RPTOR (RPTOR Products)

Background:

Regulatory-associated protein of mTOR (Raptor) (p150 target of rapamycin (TOR)-scaffold protein), FUNCTION: Component of the mechanistic target of rapamycin complex 1 (mTORC1), an evolutionarily conserved central nutrient sensor that stimulates anabolic reactions and macromolecule biosynthesis to promote cellular biomass generation and growth (PubMed:12150925, PubMed:12150926, PubMed:12747827, PubMed:24403073, PubMed:26588989, PubMed:32561715, PubMed:37541260). In response to nutrients, growth factors or amino acids, mTORC1 is recruited to the lysosome membrane and promotes protein, lipid and nucleotide synthesis by phosphorylating several substrates, such as ribosomal protein S6 kinase (RPS6KB1 and RPS6KB2) and EIF4EBP1 (4E-BP1) (PubMed:12150925, PubMed:12150926, PubMed:12747827, PubMed:24403073, PubMed:26588989, PubMed:37541260). In the same time, it inhibits catabolic pathways by phosphorylating the autophagy initiation components ULK1 and ATG13, as well as transcription factor TFEB, a master regulators of lysosomal biogenesis and autophagy (PubMed:12150925, PubMed:12150926, PubMed:12747827, PubMed:24403073, PubMed:32561715, PubMed:37541260). The mTORC1 complex is inhibited in response to starvation and amino acid depletion (PubMed:12150925, PubMed:12150926, PubMed:12747827, PubMed:24403073, PubMed:37541260). Within the mTORC1 complex, RPTOR acts both as a molecular adapter, which (1) mediates recruitment of mTORC1 to lysosomal membranes via interaction with small GTPases Rag (RagA/RRAGA, RagB/RRAGB, RagC/RRAGC and/or RagD/RRAGD), and a (2) substrate-specific adapter, which promotes substrate specificity by binding to TOS motifcontaining proteins and direct them towards the active site of the MTOR kinase domain for phosphorylation (PubMed:12747827, PubMed:24403073, PubMed:26588989, PubMed:37541260). mTORC1 complex regulates many cellular processes, such as odontoblast and osteoclast differentiation or neuronal transmission (By similarity). mTORC1 complex in excitatory neuronal transmission is required for the prosocial behavior induced by the psychoactive substance lysergic acid diethylamide (LSD) (By similarity). {ECO:0000250|UniProtKB:Q8K4Q0, ECO:0000269|PubMed:12150925, ECO:0000269|PubMed:12150926, ECO:0000269|PubMed:12747827, ECO:0000269|PubMed:24403073, ECO:0000269|PubMed:26588989, ECO:0000269|PubMed:32561715, ECO:0000269|PubMed:37541260}.

Molecular Weight:

149.0 kDa

UniProt:

Q8N122

Pathways:

PI3K-Akt Signaling, RTK Signaling, AMPK Signaling, Regulation of Muscle Cell Differentiation,

Regulation of Cell Size, Skeletal Muscle Fiber Development, Autophagy, BCR Signaling, Warburg Effect

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months