

Datasheet for ABIN7555327
SLC26A6 Protein (AA 1-759) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	SLC26A6
Protein Characteristics:	AA 1-759
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC26A6 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant SLC26A6 Protein expressed in mammalian cells.
Sequence:	MGLADASGPR DTQALLSATQ AMDLRRRDYH MERPLLNQEHL EELGRWGSAPRTHQWRTWL QCSRARAYAL LLQHLPVLVW LPRYPVRDWL LGDLLSGLSV AIMQLPQGLA YALLAGLPPV FGLYSSFYPV FIYFLFGTSR HISVGTFAVM SVMVGSVTES LAPQALNDSM INETARDAAR VQVASTLSVL VGLFQVGLGL IHFGFVVTYL SEPLVRGYTT AAVQVFVSQ LKYVFGHLHS SHSGPLSLIY TVLEVCWKLP QSKVGTVTA AVAGVVLVVV KLLNDKLQQQ LPMPIPGELL TLIGATGISY GMGLKHRFEV DVVGNIPAGL VPPVAPNTQL FSKLVGSAFT IAVVGFAIAI SLGKIFALRH GYRVDSNQEL VALGLSNLIG GIFQCFPVSC SMSRSLVQES TGGNSQVAGA ISSLFILLII VKLGELFHDL PKAVLAAIII VNLKGMLRQL SDMRSLWKAN RADLLIWLVT FTATILLNLD LGLVAVIFS LLLVVVRTQM PHYSVLGQVP DTDIYRDVAE YSEAKEVRGV KVFRSSATVY FANAEFYSDA LKQRCGVDVD FLISQKKKLL KKQEQLKQ LQKEEKLKQ AASPKGASVS INVNTSLEDM RSNVEDCKM MQVSSGDKME DATANGQEDS KAPDGSTLKA LGLPQPDFHS LILDLGALS FVDTVCLKSLK NIFHDFREIE VEVYMAACHS PVVSQLEAGH FFDASITKKH

Product Details

LFASVHDAVT FALQHPRPVP DSPVSVTRL **Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

Specificity: If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.

Characteristics: **Key Benefits:**

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity: > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade: custom-made

Target Details

Target: SLC26A6

Alternative Name: SLC26A6 ([SLC26A6 Products](#))

Background: Solute carrier family 26 member 6 (Anion exchange transporter) (Pendrin-like protein 1) (Pendrin-L1),FUNCTION: Apical membrane anion-exchanger with wide epithelial distribution that plays a role as a component of the pH buffering system for maintaining acid-base homeostasis. Acts as a versatile DIDS-sensitive inorganic and organic anion transporter that mediates the uptake of monovalent anions like chloride, bicarbonate, formate and hydroxyl ion and divalent anions like sulfate and oxalate. Functions in multiple exchange modes involving pairs of these anions, which include chloride-bicarbonate, chloride-oxalate, oxalate-formate,

Target Details

oxalate-sulfate and chloride-formate exchange. Apical membrane chloride-bicarbonate exchanger that mediates luminal chloride absorption and bicarbonate secretion by the small intestinal brush border membrane and contributes to intracellular pH regulation in the duodenal upper villous epithelium during proton-coupled peptide absorption, possibly by providing a bicarbonate import pathway. Mediates also intestinal chloride absorption and oxalate secretion, thereby preventing hyperoxaluria and calcium oxalate urolithiasis. Transepithelial oxalate secretion, chloride-formate, chloride-oxalate and chloride-bicarbonate transport activities in the duodenum are inhibited by PKC activation in a calcium-independent manner. The apical membrane chloride-bicarbonate exchanger provides also a major route for fluid and bicarbonate secretion into the proximal tubules of the kidney as well as into the proximal part of the interlobular pancreatic ductal tree, where it mediates electrogenic chloride-bicarbonate exchange with a chloride-bicarbonate stoichiometry of 1:2, and hence will dilute and alkalinize protein-rich acinar secretion. Mediates also the transcellular sulfate absorption and oxalate secretion across the apical membrane in the duodenum and the formate ion efflux at the apical brush border of cells in the proximal tubules of kidney. Plays a role in sperm capacitation by increasing intracellular pH . {ECO:0000250|UniProtKB:Q8CIW6, ECO:0000269|PubMed:20501439, ECO:0000269|PubMed:27681177}., FUNCTION: [Isoform 4]: Apical membrane chloride-bicarbonate exchanger. Its association with carbonic anhydrase CA2 forms a bicarbonate transport metabolon, hence maximizes the local concentration of bicarbonate at the transporter site. {ECO:0000269|PubMed:15990874}.

Molecular Weight: 83.0 kDa

UniProt: [Q9BXS9](#)

Pathways: [Dicarboxylic Acid Transport](#)

Application Details

Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Handling

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months