

Datasheet for ABIN7555354
INPP5F Protein (AA 1-1132) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	INPP5F
Protein Characteristics:	AA 1-1132
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This INPP5F protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Purpose:	Custom-made recombinat INPP5F Protein expressed in mammalian cells.
Sequence:	MELFQAKDHY ILQQGERALW CSRRDGGQL RPATDLLLAW NPICLGLVEG VIGKIQLHSD LPWWLILIRQ KALVGKLPD HEVCKVTKIA VLSLSEMEPQ DLELELCKKH HFGINKPEKI IPSPDDSKFL LKTFTHIKSN VSAPNKKKVK ESKEKEKLER RLEELLKMF MDSSEFYSSL TYDLTNSVQR QSTGERDGRP LWQKVDDRRF WNKYMIQDLT EIGTPDVDFW IIPMIQGFVQ IEELVVNYTE SSDDEKSSPE TPPQESTCVD DIHPRFLVAL ISRRSRHRAG MRYKRRGVDK NGNVANYVET EQLIHVHNHT LSFVQTRGSV PVFWSQVGYR YNPRPRLDRS EKETVAYFCA HFEEQLNIYK KQVIINLVDQ AGREKIIGDA YLKQVLLFNN SHLTYVSFDF HEHCRGMKFE NVQTLTDAIY DIILDMKWCW VDEAGVICKQ EGIFRVN CMD CLDRTNVVQA AIARVWMEQQ LKKLGVMPPE QPLPVKCNRI YQIMWANNGD SISRQYAGTA ALKGDFTRTG ERKLAGVMKD GVNSANRYYL NRFKDAYRQA VIDLMQGIPV TEDLYSIFTK EKEHEALHKE NQRSHQELIS QLLQSYMKLL LPDDEKFHGG WALIDCDPSL IDATHRDVDV LLLLSNSAYY VAYYDDEVDK

Product Details

VNQYQRLSLE NLEKIEIGPE PTLFGKPKFS CMRLHYRYKE ASGYFHTLRA VMRNPEEDGK
DTLQCIAEML QITKQAMGSD LPIIEKKLER KSSKPHEDII GIRSQNQGSL AQGKNFLMSK
FSSLNQKVKQ TKSNNVIGNL RKLGNFTKPE MKVNFLKPNL KVNWLKSDSS LETMENTGVM
DKVQAESDGD MSSDNDSYHS DEFLTNSKSD EDRQLANSLE SVGPIDYVLP SCGIIASAPR
LGSRSQSLSS TDSSVHAPSE ITVAHGSLG KGQESPLKKS PSAGDVHILT GFAKPMDIYC
HRFVQDAQNK VTHLSETRSV SQQASQERNQ MTNQVSNETQ SESTEQTSPSR PSQLDVLSLA
TGPQFLSVEP AHSVASQKTP TSASSMLELE TGLHVTPSPS ESSSSRAVSP FAKIRSSMVQ
VASITQAGLT HGINFAVSKV QKSPPEPEII NQVQQNELKK MFIQCQTRII QI **Sequence without tag.**

The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

INPP5F

Alternative Name:

INPP5F ([INPP5F Products](#))

Background:

Phosphatidylinositide phosphatase SAC2 (EC 3.1.3.25) (Inositol polyphosphate 5-phosphatase F) (Sac domain-containing inositol phosphatase 2) (Sac domain-containing phosphoinositide 4-

Target Details

phosphatase 2) (hSAC2),FUNCTION: Inositol 4-phosphatase which mainly acts on phosphatidylinositol 4-phosphate. May be functionally linked to OCRL, which converts phosphatidylinositol 4,5-bisphosphate to phosphatidylinositol, for a sequential dephosphorylation of phosphatidylinositol 4,5-bisphosphate at the 5 and 4 position of inositol, thus playing an important role in the endocytic recycling (PubMed:25869669). Regulator of TF:TFRC and integrins recycling pathway, is also involved in cell migration mechanisms (PubMed:25869669). Modulates AKT/GSK3B pathway by decreasing AKT and GSK3B phosphorylation (PubMed:17322895). Negatively regulates STAT3 signaling pathway through inhibition of STAT3 phosphorylation and translocation to the nucleus (PubMed:25476455). Functionally important modulator of cardiac myocyte size and of the cardiac response to stress (By similarity). May play a role as negative regulator of axon regeneration after central nervous system injuries (By similarity). {ECO:0000250|UniProtKB:Q8CDA1, ECO:0000269|PubMed:17322895, ECO:0000269|PubMed:25476455, ECO:0000269|PubMed:25869669}.

Molecular Weight: 128.4 kDa

UniProt: [Q9Y2H2](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months