

Datasheet for ABIN7555508

## SMARCC2 Protein (AA 1-1214) (His tag)



[Go to Product page](#)

### Overview

Quantity:	1 mg
Target:	SMARCC2
Protein Characteristics:	AA 1-1214
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SMARCC2 protein is labelled with His tag.

### Product Details

Purpose:	Custom-made recombinant SMARCC2 Protein expressed in mammalian cells.
Sequence:	<p>MAVRKKDGGP NVKYYEADT VTQFDNVRLW LGKNYKKYIQ AEPPTNKSL SLVVQLLQFQ</p> <p>EEVFGKHVSN APLTKLPIKC FLDFKAGGSL CHILAAAYKF KSDQGWRRYD FQNPSRMDRN</p> <p>VEMFMTIEKS LVQNNCLSRP NIFLCPEIEP KLLGKLDII KRHQGTVTED KNNASHVVYP</p> <p>VPGNLEEEEW VRPVMKRDKQ VLLHWGYYPD SYDTWIPASE IEASVEDAPT PEKPRKVHAK</p> <p>WILDTDTFNE WMNEEDYEVN DDKNPVSRRK KISAKTLTDE VNPSDSRRD KKGKNYKKRK</p> <p>RSPSPSTPE AKKKNNAKGP STPYTKSKRG HREEEQEDLT KMDPEPSPVP NVEEVTLPKT</p> <p>VNTKKDSESA PVKGGTMTDL DEQEDESMT TGKDEDENST GNKGQTKNP DLHEDNVTEQ</p> <p>THHIIIPSYA AWFIDYNSVHA IERRALPEFF NGKNKSKTPE IYLAYRNFM I DTYRLNPQEY</p> <p>LTSTACRRNL AGDVCAIMRV HAFLEQWGLI NYQVDAESRP TPMGPPPTSH FHVLAADTPSG</p> <p>LVPLQPKTPQ QTSASQMLN FPDKGKEKPT DMQNFGLRTD MYTKKNVPSK SKAAASATRE</p> <p>WTEQETLLLL EALEMYKDDW NKVSEHVGSR TQDECILHFL RLPIDPYLE DSEASLGPLA</p> <p>YQPIFSSQSG NPVMSTVAFL ASVVDPRVAS AAAKSALEEF SKMKKEVPPTA LVEAHVRKVE</p>

EEAKVTGKAD PAFGLESGI AGTTSDEPER IEESGNDEAR VEGQATDEKK EPKEPREGGG  
AIEEEAKEKT SEAPKKDEEK GKEGDSEKES EKSDGDPIVD PEKEKEPKEG QEEVLKEVVE  
SEGERKTKVE RDIGEGNLST AAAAAALAAAA VKAKHLAAVE ERKIKSLVAL LVETQMKKLE  
IKLRHFEELE TIMDREREAL EYQRQQLLAD RQAFHMEQLK YAEMRARQQH FQQMHHQQQQ  
PPPALPPGSQ PIPPTGAAGP PAVHGLAVAP ASVVPAPAGS GAPPGSLGPS EQIGQAGSTA  
GPQQQQPAGA PQPGAVPPGV PPPGPHGPSP FPNQQTTPSM MPGAVPGSGH PGVAGNAPLG  
LPFGMPPPPP PPAPSIIPFG SLADSIINL PAPPNLHGHH HHLPFAPGTL PPPNLVPSMA  
NPLHPNLPAT TTMPSSLPLG PGLGSAAAQS PAIVAAVQGN LLPSASPLPD PGTPLPPDPT  
APSPGTVTPV PPPQ **Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.
Characteristics:	<p>Key Benefits:</p> <ul style="list-style-type: none"><li>• Made to order protein - from design to production - by highly experienced protein experts.</li><li>• Protein expressed in mammalian cells and purified in one-step affinity chromatography</li><li>• The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.</li><li>• State-of-the-art algorithm used for plasmid design (Gene synthesis).</li></ul> <p>This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.</p> <p>If you are not interested in a full length protein, please contact us for individual protein fragments.</p> <p>The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.</p>

Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made

Target Details

Target:	SMARCC2
Alternative Name:	SMARCC2 ( <a href="#">SMARCC2 Products</a> )

## Target Details

Background:	<p>SWI/SNF complex subunit SMARCC2 (BRG1-associated factor 170) (BAF170) (SWI/SNF complex 170 kDa subunit) (SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily C member 2),FUNCTION: Involved in transcriptional activation and repression of select genes by chromatin remodeling (alteration of DNA-nucleosome topology). Component of SWI/SNF chromatin remodeling complexes that carry out key enzymatic activities, changing chromatin structure by altering DNA-histone contacts within a nucleosome in an ATP-dependent manner (PubMed:11018012). Can stimulate the ATPase activity of the catalytic subunit of these complexes (PubMed:10078207). May be required for CoREST dependent repression of neuronal specific gene promoters in non-neuronal cells (PubMed:12192000). Belongs to the neural progenitors-specific chromatin remodeling complex (npBAF complex) and the neuron-specific chromatin remodeling complex (nBAF complex). During neural development a switch from a stem/progenitor to a postmitotic chromatin remodeling mechanism occurs as neurons exit the cell cycle and become committed to their adult state. The transition from proliferating neural stem/progenitor cells to postmitotic neurons requires a switch in subunit composition of the npBAF and nBAF complexes. As neural progenitors exit mitosis and differentiate into neurons, npBAF complexes which contain ACTL6A/BAF53A and PHF10/BAF45A, are exchanged for homologous alternative ACTL6B/BAF53B and DPF1/BAF45B or DPF3/BAF45C subunits in neuron-specific complexes (nBAF). The npBAF complex is essential for the self-renewal/proliferative capacity of the multipotent neural stem cells. The nBAF complex along with CREST plays a role regulating the activity of genes essential for dendrite growth (By similarity). Critical regulator of myeloid differentiation, controlling granulocytopoiesis and the expression of genes involved in neutrophil granule formation (By similarity). {ECO:0000250 UniProtKB:Q6PDG5, ECO:0000269 PubMed:10078207, ECO:0000269 PubMed:11018012, ECO:0000269 PubMed:12192000, ECO:0000303 PubMed:22952240, ECO:0000303 PubMed:26601204}.</p>
Molecular Weight:	132.9 kDa
UniProt:	<a href="#">Q8TAQ2</a>

## Application Details

Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months