

Datasheet for ABIN7555538 NHE8 Protein (AA 1-581) (His tag)



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	1 mg
Target:	NHE8 (SLC9A8)
Protein Characteristics:	AA 1-581
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NHE8 protein is labelled with His tag.

Product Details

FIOUUCI Details	
Purpose:	Custom-made recombinant SLC9A8 Protein expressed in mammalian cells.
Sequence:	MGEKMAEEER FPNTTHEGFN VTLHTTLVVT TKLVLPTPGK PILPVQTGEQ AQQEEQSSGM
	TIFFSLLVLA ICIILVHLLI RYRLHFLPES VAVVSLGILM GAVIKIIEFK KLANWKEEEM FRPNMFFLLL
	LPPIIFESGY SLHKGNFFQN IGSITLFAVF GTAISAFVVG GGIYFLGQAD VISKLNMTDS
	FAFGSLISAV DPVATIAIFN ALHVDPVLNM LVFGESILND AVSIVLTNTA EGLTRKNMSD
	VSGWQTFLQA LDYFLKMFFG SAALGTLTGL ISALVLKHID LRKTPSLEFG MMIIFAYLPY
	GLAEGISLSG IMAILFSGIV MSHYTHHNLS PVTQILMQQT LRTVAFLCET CVFAFLGLSI
	FSFPHKFEIS FVIWCIVLVL FGRAVNIFPL SYLLNFFRDH KITPKMMFIM WFSGLRGAIP
	YALSLHLDLE PMEKRQLIGT TTIVIVLFTI LLLGGSTMPL IRLMDIEDAK AHRRNKKDVN
	LSKTEKMGNT VESEHLSELT EEEYEAHYIR RQDLKGFVWL DAKYLNPFFT RRLTQEDLHH
	GRIQMKTLTN KWYEEVRQGP SGSEDDEQEL L Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please

Product Details

	contact us.		
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different		
	isoform, please contact us regarding an individual offer.		
Characteristics:	Key Benefits:		
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. 		
	State-of-the-art algorithm used for plasmid design (Gene synthesis).		
	This protein is a made-to-order protein and will be made for the first time for your order. Our		
	experts in the lab try to ensure that you receive soluble protein.		
	If you are not interested in a full length protein, please contact us for individual protein fragments.		
	rragments.		
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom		
	made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.		
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)		
Grade:	custom-made		
Target Details			
Target:	NHE8 (SLC9A8)		
Alternative Name:	SLC9A8 (SLC9A8 Products)		
	Sodium/hydrogen exchanger 8 (Na(+)/H(+) exchanger 8) (NHE-8) (Solute carrier family 9		
	Sodium/hydrogen exchanger 8 (Na(+)/H(+) exchanger 8) (NHE-8) (Solute carrier family 9 member 8),FUNCTION: Na(+)/H(+) antiporter. Mediates the electoneutral exchange of		
	member 8),FUNCTION: Na(+)/H(+) antiporter. Mediates the electoneutral exchange of		
	member 8),FUNCTION: Na(+)/H(+) antiporter. Mediates the electoneutral exchange of intracellular H(+) ions for extracellular Na(+) in 1:1 stoichiometry (PubMed:15522866). Acts as		
	member 8),FUNCTION: Na(+)/H(+) antiporter. Mediates the electoneutral exchange of intracellular H(+) ions for extracellular Na(+) in 1:1 stoichiometry (PubMed:15522866). Acts as an Na(+)/H(+) exchanger in the trans-Golgi. Contributes to the regulation of pH regulation of		
Background:	member 8),FUNCTION: Na(+)/H(+) antiporter. Mediates the electoneutral exchange of intracellular H(+) ions for extracellular Na(+) in 1:1 stoichiometry (PubMed:15522866). Acts as an Na(+)/H(+) exchanger in the trans-Golgi. Contributes to the regulation of pH regulation of Golgi apparatus, and consequently, in protein trafficking and endosomal morphology		

specialized cells. In the small intestine, at the cell membrane, plays a major physiological role in

transepithelial absorption of Na(+) and regulates intracellular pH homeostasis of intestinal

epithelial cells (PubMed:34288721). Acts as an important regulator of mucosal integrity in the intestine and in the stomach, could mediate the pH fluctuation necessary for mucin exocytosis or assist membrane trafficking of other proteins (By similarity). Plays a role in photoreceptor survival and in the maintenance of intracellular pH homeostasis in retinal pigment epithelium (RPE cells) (By similarity). {ECO:0000250|UniProtKB:Q8R4D1, ECO:0000269|PubMed:15522866, ECO:0000269|PubMed:20719963, ECO:0000269|PubMed:34288721}.

Molecular Weight: 65.4 kDa

UniProt: Q9Y2E8

Pathways: Proton Transport

Application Details

Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

For Research Use only

Handling

Restrictions:

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months