

Datasheet for ABIN7555629 SRSF10 Protein (AA 1-262) (His tag)



Overview

Quantity:	1 mg
Target:	SRSF10
Protein Characteristics:	AA 1-262
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SRSF10 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details	
Purpose:	Custom-made recombinat SRSF10 Protein expressed in mammalien cells.
Sequence:	MSRYLRPPNT SLFVRNVADD TRSEDLRREF GRYGPIVDVY VPLDFYTRRP RGFAYVQFED
	VRDAEDALHN LDRKWICGRQ IEIQFAQGDR KTPNQMKAKE GRNVYSSSRY DDYDRYRRSR
	SRSYERRRSR SRSFDYNYRR SYSPRNSRPT GRPRRSRSHS DNDRFKHRNR SFSRSKSNSR
	SRSKSQPKKE MKAKSRSRSA SHTKTRGTSK TDSKTHYKSG SRYEKESRKK EPPRSKSQSR
	SQSRSRSKSR SRSWTSPKSS GH Sequence without tag. The proposed Purification-Tag is
	based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and

transmembrane proteins.

· State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

SRSF10

Alternative Name:

SRSF10 (SRSF10 Products)

Background:

Serine/arginine-rich splicing factor 10 (40 kDa SR-repressor protein) (SRrp40) (FUS-interacting serine-arginine-rich protein 1) (Splicing factor SRp38) (Splicing factor, arginine/serine-rich 13A) (TLS-associated protein with Ser-Arg repeats) (TASR) (TLS-associated protein with SR repeats) (TLS-associated serine-arginine protein) (TLS-associated SR protein), FUNCTION: Splicing factor that in its dephosphorylated form acts as a general repressor of pre-mRNA splicing (PubMed:11684676, PubMed:12419250, PubMed:14765198). Seems to interfere with the U1 snRNP 5'-splice recognition of SNRNP70 (PubMed:14765198). Required for splicing repression in M-phase cells and after heat shock (PubMed:14765198). Also acts as a splicing factor that specifically promotes exon skipping during alternative splicing (PubMed:26876937). Interaction with YTHDC1, a RNA-binding protein that recognizes and binds N6-methyladenosine (m6A)containing RNAs, prevents SRSF10 from binding to its mRNA-binding sites close to m6Acontaining regions, leading to inhibit exon skipping during alternative splicing (PubMed:26876937). May be involved in regulation of alternative splicing in neurons, with isoform 1 acting as a positive and isoform 3 as a negative regulator (PubMed:12419250). {ECO:0000269|PubMed:11684676, ECO:0000269|PubMed:12419250, ECO:0000269|PubMed:14765198, ECO:0000269|PubMed:26876937}.

Target Details

Storage Comment:

Expiry Date:

Store at -80°C.

12 months

Molecular Weight:	31.3 kDa	
UniProt:	075494	
Pathways:	Ribonucleoprotein Complex Subunit Organization	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	