

Datasheet for ABIN7556316

Caveolin 2 Protein (CAV2) (AA 1-162) (His tag)



Overview

Quantity:	1 mg
Target:	Caveolin 2 (CAV2)
Protein Characteristics:	AA 1-162
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Caveolin 2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)
Product Details	
Purpose:	Custom-made recombinat Cav2 Protein expressed in mammalien cells.
Sequence:	MGLETEKADV QLFMADDAYS HHSGVDYADP EKYVDSSHDR DPHQLNSHLK LGFEDLIAEP
	ETTHSFDKVW ICSHALFEIS KYVMYKFLTV FLAIPLAFIA GILFATLSCL HIWILMPFVK
	TCLMVLPSVQ TIWKSVTDVV IGPLCTSVGR SFSSVSMQLS HD Sequence without tag. The
	proposed Purification-Tag is based on experiences with the expression system, a different
	complexity of the protein could make another tag necessary. In case you have a special
	request, please contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	Protein expressed in mammalien cells and purified in one-step affinity chromatography
	The optimized expression system ensures reliability for intracellular, secreted and

transmembrane proteins.

	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made
Target Details	
Target:	Caveolin 2 (CAV2)
Alternative Name:	Cav2 (CAV2 Products)
Background:	Caveolin-2,FUNCTION: May act as a scaffolding protein within caveolar membranes. Interacts directly with G-protein alpha subunits and can functionally regulate their activity. Acts as an accessory protein in conjunction with CAV1 in targeting to lipid rafts and driving caveolae formation. The Ser-36 phosphorylated form has a role in modulating mitosis in endothelial cells Positive regulator of cellular mitogenesis of the MAPK signaling pathway. Required for the insulin-stimulated nuclear translocation and activation of MAPK1 and STAT3, and the subsequent regulation of cell cycle progression (By similarity). {ECO:0000250}.
Molecular Weight:	18.2 kDa
UniProt:	Q9WVC3
Pathways:	Regulation of G-Protein Coupled Receptor Protein Signaling, Skeletal Muscle Fiber Development
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months