

Datasheet for ABIN7556383
ARIH1 Protein (AA 1-555) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	ARIH1
Protein Characteristics:	AA 1-555
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ARIH1 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Purpose:	Custom-made recombinat Arih1 Protein expressed in mammalien cells.
Sequence:	<p>MDSDEGYNYE FDEDEECSEE DSGAEEEEDD DEDEPDDDNL DLGEVELVEP GLGVGGERDG LLCGETGGGG GSALGPGGGG GGGGGGGGPG HEQEEDYRYE VLTAEQILQH MVECIREVNE VIQNPATITR ILLSHFNWDK EKLMEYFDG NLEKLFAECH VINPSKKSRT RQMNTRSSAQ DMPCQICYLN YPNSYFTGLE CGHKFCMQCW SEYLTTKIME EGMGQTISCP AHGCDILVDD NTVMRLITDS KVKLKYQH LI TNSFVECNRL LKWCPAPDCH HVVKVQYPDA KPVRCCKGRQ FCFNCGENWH DPKCKWLKK WIKCDDDSE TSNWIAANTK ECPKCHVTIE KDGGCNHMCV RNQNCKAEFC WVCLGPWEPH GSAWYNCNRY NEDDAKAARD AQERSRAALQ RYLFYCNRYM NHMQSLRFEH KLYAQVKQKM EEMQQHNSW IEVQFLKAV DVLCQCRATL MYTYVFAFYL KKNNQSIIFE NNQADLENAT EVLSGYLERD ISQDSLQDIK QKVQDKYRYC ESRRRVLLQH VHEGYEKDLW EYIED Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make</p>

another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

ARIH1

Alternative Name:

Arih1 ([ARIH1 Products](#))

Background:

E3 ubiquitin-protein ligase ARIH1 (EC 2.3.2.31) (Protein ariadne-1 homolog) (ARI-1) (RING-type E3 ubiquitin transferase ARIH1) (UbcH7-binding protein) (UbcM4-interacting protein 77) (Ubiquitin-conjugating enzyme E2-binding protein 1), FUNCTION: E3 ubiquitin-protein ligase, which catalyzes ubiquitination of target proteins together with ubiquitin-conjugating enzyme E2 UBE2L3. Acts as an atypical E3 ubiquitin-protein ligase by working together with cullin-RING ubiquitin ligase (CRL) complexes and initiating ubiquitination of CRL substrates: associates with CRL complexes and specifically mediates addition of the first ubiquitin on CRLs targets. The initial ubiquitin is then elongated by CDC34/UBE2R1 and UBE2R2. E3 ubiquitin-protein ligase activity is activated upon binding to neddylated cullin-RING ubiquitin ligase complexes. Plays a role in protein translation in response to DNA damage by mediating ubiquitination of EIF4E2, the consequences of EIF4E2 ubiquitination are however unclear. According to a report, EIF4E2 ubiquitination leads to promote EIF4E2 cap-binding and protein translation arrest.

Target Details

According to another report EIF4E2 ubiquitination leads to its subsequent degradation. Acts as the ligase involved in ISGylation of EIF4E2. In vitro, controls the degradation of the LINC (Linker of Nucleoskeleton and Cytoskeleton) complex member SUN2 and may therefore have a role in the formation and localization of the LINC complex, and as a consequence, may act in nuclear subcellular localization and nuclear morphology. {ECO:0000250|UniProtKB:Q9Y4X5}.

Molecular Weight: 64.0 kDa

UniProt: [Q9Z1K5](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months