

Datasheet for ABIN7556488

Cyp2c38 Protein (AA 1-490) (His tag)



Overview

Quantity:	1 mg
Target:	Cyp2c38 (CYP2C38)
Protein Characteristics:	AA 1-490
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Cyp2c38 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Purpose:	Custom-made recombinat Cyp2c38 Protein expressed in mammalien cells.
Sequence:	MDLVTFLVLT LSSLILLSLW RQRSRRGRLP PGPTPFPIIG NFLQIDVKNF NQSLTNFSKT
	YGPVFTLYLG SRPIVVLHGY EAVKEALIDH GEEFSGRENI PMSEKINNGL GITFSNGNSW
	KETRRFTLMT LRNLGMGKRN IEDRVREEAQ CLVEELRKTK GSPCDPTFIL SCAPCNVICS
	IIFQDRFDYK DKDFLMLMKK LNENVKILSS PWLQVCNNFP LLIDYCPGSH HKVLKNFKYI
	RSYLLEKVKE HQESLDVTNP RDFIDYFLIK QKQANHIEQA EYSLENLVCT INNLFAAGTE
	TTSTTLRYAL LLLMKYPDVT AKVQEEIDHV VGRHRSPCMQ DRSRMPYTDA MIHEVQRFIN
	LVPNNLPHAV TCDIKFRNYI IPKGTTVVTS LTSVLHDSKE FPNPEMFDPG HFLDANGNFK
	KSDYFMTFSA GKRVCAGEGL ARMELFLILT TILQNFKLKS LVHPKDIDMI PFVNGLITLP
	PHYQLCFIPL Sequence without tag. The proposed Purification-Tag is based on experiences
	with the expression system, a different complexity of the protein could make another tag
	necessary. In case you have a special request, please contact us.

Product Details Key Benefits: Characteristics: Made to order protein - from design to production - by highly experienced protein experts. · Protein expressed in mammalien cells and purified in one-step affinity chromatography · The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein. If you are not interested in a full length protein, please contact us for individual protein fragments. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. Purity: > 90 % as determined by Bis-Tris Page, Western Blot Grade: custom-made **Target Details** Cyp2c38 (CYP2C38) Target: Alternative Name: Cyp2c38 Background: Cytochrome P450 2C38 (EC 1.14.14.1) (CYPIIC38), FUNCTION: A cytochrome P450 monooxygenase that primarily catalyzes the epoxidation of 11,12 double bond of (5Z,8Z,11Z,14Z)-eicosatetraenoic acid (arachidonate) forming 11,12-epoxyeicosatrienoic acid (11,12-EET) regioisomer. Mechanistically, uses molecular oxygen inserting one oxygen atom into a substrate, and reducing the second into a water molecule, with two electrons provided by NADPH via cytochrome P450 reductase (CPR, NADPH--hemoprotein reductase). {ECO:0000269|PubMed:9721182}.

Application Details

Molecular Weight:

UniProt:

56.2 kDa

P56655

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies

Application Details

	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months