

Datasheet for ABIN7556687

TGIF1 Protein (AA 1-272) (His tag)



Overview

Quantity:	1 mg
Target:	TGIF1
Protein Characteristics:	AA 1-272
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TGIF1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat Tgif1 Protein expressed in mammalien cells.
Sequence:	MKSKKGLVAA SGSDSEDEDS MDSPLDLSSS AASGKRRRRG NLPKESVQIL RDWLYEHRYN
	AYPSEQEKAL LSQQTHLSTL QVCNWFINAR RRLLPDMLRK DGKDPNQFTI SRRGAKISEA
	SSIEAAMGIK NFMPTLEESP FHSCVVGPNP TLGRPVSPKP PSPGSILARP SVICHTTVTA
	LKDGPFSLCQ PIGVGQSTDV PQIAPSNFTD TSLVYPEDTC KSGPSPNPQS GLFNTPPPTP
	PDLNQDFSGF QLLVDVALKR AAEMELQAKL TA Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please
	contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	TGIF1
Alternative Name:	Tgif1 (TGIF1 Products)
Background:	Homeobox protein TGIF1 (5'-TG-3'-interacting factor 1),FUNCTION: Binds to a retinoid X receptor (RXR) responsive element from the cellular retinol-binding protein II promoter (CRBPII-RXRE). Inhibits the 9-cis-retinoic acid-dependent RXR alpha transcription activation of the retinoic acid responsive element. May participate in the transmission of nuclear signals during development and in the adult, as illustrated by the down-modulation of the RXR alpha activities (By similarity). {ECO:0000250}.
Molecular Weight:	29.6 kDa
UniProt:	P70284
Pathways:	Retinoic Acid Receptor Signaling Pathway, Chromatin Binding, Tube Formation
Application Details	
Application Details	

Application Details

Storage Comment:

Expiry Date:

For Research Use only
Liquid
The buffer composition is at the discretion of the manufacturer.
Avoid repeated freeze-thaw cycles.
-80 °C

Store at -80°C.

12 months