

Datasheet for ABIN7556703 **TANK Protein (AA 1-448) (His tag)**



Overview

Quantity:	1 mg
Target:	TANK
Protein Characteristics:	AA 1-448
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TANK protein is labelled with His tag.

Purpose:	Custom-made recombinant Tank Protein expressed in mammalian cells.
Sequence:	MSLKRHSLRR NACHLETRAG IPTILYSDAT GQRGMDKNIG EQLNRAYEAF RQACMDRDSA
	VRELQQKQTE NYEQRIREQQ EQLSFQQNLI DRLKSQLLLV DSSRDNSYGY VPLLEDSDRR
	KNNLTLDEPH DKVKLGTLRD KQSKVRRQEV SSGKESAKGL NIPLHHERDN IEKTFWDLKE
	EFHRICLLAK AQKDHLSKLN IPDIATDTQC SVPIQCTDKT EKQEALFKPQ AKDDINRGMS
	CVTAVTPRGL GRDEEDTSFE SLSKFNVKFP PMDNDSIFLH STPEAPSILA PATPETVCQD
	RFNMEVRDNP GNFVKTEETL FEIQGIDPIT SAIQNLKTTD KTNPSNLRAT CLPAGDHNVF
	YVNTFPLQDP PDAPFPSLDS PGKAVRGPQQ PFWKPFLNQD TDLVVPSDSD SELLKPLVCE
	FCQELFPPSI TSRGDFLRHL NTHFNGET Sequence without tag. The proposed Purification-
	Tag is based on experiences with the expression system, a different complexity of the
	protein could make another tag necessary. In case you have a special request, please
	contact us.

isoform, please contact us regarding an individual offer. Characteristics: Key Benefits: Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography · The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein. If you are not interested in a full length protein, please contact us for individual protein fragments. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC) Purity: custom-made Grade: **Target Details TANK** Target: Alternative Name: Tank (TANK Products) Background: TRAF family member-associated NF-kappa-B activator (TRAF-interacting protein) (I-TRAF), FUNCTION: Adapter protein involved in I-kappa-B-kinase (IKK) regulation which constitutively binds TBK1 and IKBKE playing a role in antiviral innate immunity. Acts as a regulator of TRAF function by maintaining them in a latent state. Blocks TRAF2 binding to LMP1 and inhibits LMP1-mediated NF-kappa-B activation. Negatively regulates NF-kappaB signaling and cell survival upon DNA damage. Plays a role as an adapter to assemble ZC3H12A, USP10 in a deubiquitination complex which plays a negative feedback response to attenuate NF-kappaB activation through the deubiquitination of IKBKG or TRAF6 in response to interleukin-1-beta (IL1B) stimulation or upon DNA damage. Promotes UBP10-induced

deubiquitination of TRAF6 in response to DNA damage. May control negatively TRAF2-mediated NF-kappa-B activation signaled by CD40, TNFR1 and TNFR2. Essential for the

efficient induction of IRF-dependent transcription following infection with Sendai virus.

Target Details

	{ECO:0000250 UniProtKB:Q92844}.	
Molecular Weight:	50.9 kDa	
UniProt:	P70347	
Pathways:	p53 Signaling, TLR Signaling, Activation of Innate immune Response	
Application Details		
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for	
	functional studies yet we cannot offer a guarantee though.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	