

Datasheet for ABIN7556758

TCEB1 Protein (AA 1-112) (His tag)



Overview

Quantity:	1 mg
Target:	TCEB1
Protein Characteristics:	AA 1-112
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TCEB1 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details	
Purpose:	Custom-made recombinat Eloc Protein expressed in mammalien cells.
Sequence:	MDGEEKTYGG CEGPDAMYVK LISSDGHEFI VKREHALTSG TIKAMLSGPG QFAENETNEV NFREIPSHVL SKVCMYFTYK VRYTNSSTEI PEFPIAPEIA LELLMAANFL DC Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	 Key Benefits: Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target: TCEB1

Alternative Name: Eloc (TCEB1 Products)

Background:

Elongin-C (EloC) (Elongin 15 kDa subunit) (RNA polymerase II transcription factor SIII subunit C) (SIII p15) (Stromal membrane-associated protein SMAP1B homolog) (Transcription elongation factor B polypeptide 1), FUNCTION: SIII, also known as elongin, is a general transcription elongation factor that increases the RNA polymerase II transcription elongation past templateencoded arresting sites. Subunit A is transcriptionally active and its transcription activity is strongly enhanced by binding to the dimeric complex of the SIII regulatory subunits B and C (elongin BC complex) (By similarity). In embryonic stem cells, the elongin BC complex is recruited by EPOP to Polycomb group (PcG) target genes in order generate genomic region that display both active and repressive chromatin properties, an important feature of pluripotent stem cells (PubMed:27863225, PubMed:27863226). {ECO:0000250|UniProtKB:Q15369, ECO:0000269|PubMed:27863225, ECO:0000269|PubMed:27863226}., FUNCTION: Core component of multiple cullin-RING-based ECS (ElonginB/C-CUL2/5-SOCS-box protein) E3 ubiquitin-protein ligase complexes, which mediate the ubiquitination of target proteins. This includes the von Hippel-Lindau ubiquitination complex CBC(VHL). By binding to BC-box motifs it seems to link target recruitment subunits, like VHL and members of the SOCS box family, to Cullin/RBX1 modules that activate E2 ubiquitination enzymes. As part of a multisubunit ubiquitin ligase complex composed of elongin BC complex (ELOB and ELOC), elongin A/ELOA, RBX1 and CUL5, polyubiquitinates monoubiquitinated POLR2A (By similarity). A number of ECS complexes (containing either KLHDC2, KLHDC3, KLHDC10, APPBP2, FEM1A, FEM1B or FEM1C

Target Details

as substrate-re	ecognition component) are part of the DesCEND (destruction via C-end degrons)
pathway, whic	ch recognizes a C-degron located at the extreme C terminus of target proteins,
leading to thei	r ubiquitination and degradation (By similarity). ECS(LRR1) ubiquitinates MCM7
and promotes	CMG replisome disassembly by VCP and chromatin extraction during S-phase
(PubMed:3359	90678). {ECO:0000250 UniProtKB:Q15369, ECO:0000269 PubMed:33590678}.

Molecular Weight: 12.5 kDa

UniProt: P83940

Pathways: SARS-CoV-2 Protein Interactome

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies

as well. As the protein has not been tested for functional studies yet we cannot offer a

guarantee though.

12 months

Restrictions: For Research Use only

Handling

Expiry Date:

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.