

## Datasheet for ABIN7556895

# CDK18 Protein (AA 1-451) (His tag)



#### Overview

Quantity:	1 mg
Target:	CDK18
Protein Characteristics:	AA 1-451
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CDK18 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

#### **Product Details**

Purpose:	Custom-made recombinat Cdk18 Protein expressed in mammalien cells.
Sequence:	MNKMKNFKRR LSLSVPRPET IEESLAEFTE QFNQLHTQTN EDGTDEPEQL SPGMQYQQRQ
	NQRRFSMEDL NKRLSLPMDI RLPQEFLQKL QLENPGLPKP LTRMSRRASL SDIGFGKLET
	YVKLDKLGEG TYATVFKGRS KLTENLVALK EIRLEHEEGA PCTAIREVSL LKDLKHANIV
	TLHDLIHTDR SLTLVFEYLD SDLKQYLDHC GNLMNMHNVK IFMFQLLRGL AYCHHRKILH
	RDLKPQNLLI NERGELKLAD FGLARAKSVP TKTYSNEVVT LWYRPPDVLL GSTEYSTPID
	MWGVGCILYE MATGKPLFPG STVKEELHLI FRLLGTPTEE SWPGVTSISE FRAYNFPRYL
	PQPLLSHAPR LDTEGINLLS SLLLYESKSR MSAEAALNHP YFQSLGDRVH QLHDTASIFS
	LKEIQLQKDP GYRGLAFQHP GRGKSRRQSI F Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please
	contact us.

#### **Product Details**

Characteristics:	Key Benefits:
	<ul> <li>Made to order protein - from design to production - by highly experienced protein experts.</li> <li>Protein expressed in mammalien cells and purified in one-step affinity chromatography</li> <li>The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.</li> <li>State-of-the-art algorithm used for plasmid design (Gene synthesis).</li> </ul>
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made
Target Details	
Target:	CDK18
Target: Alternative Name:	CDK18 Cdk18 (CDK18 Products)
Alternative Name:	Cdk18 (CDK18 Products)  Cyclin-dependent kinase 18 (EC 2.7.11.22) (Cell division protein kinase 18) (PCTAIRE-motif protein kinase 3) (Serine/threonine-protein kinase PCTAIRE-3),FUNCTION: May play a role in
Alternative Name:  Background:	Cdk18 (CDK18 Products)  Cyclin-dependent kinase 18 (EC 2.7.11.22) (Cell division protein kinase 18) (PCTAIRE-motif protein kinase 3) (Serine/threonine-protein kinase PCTAIRE-3),FUNCTION: May play a role in signal transduction cascades in terminally differentiated cells.
Alternative Name:  Background:  Molecular Weight:	Cdk18 (CDK18 Products)  Cyclin-dependent kinase 18 (EC 2.7.11.22) (Cell division protein kinase 18) (PCTAIRE-motif protein kinase 3) (Serine/threonine-protein kinase PCTAIRE-3),FUNCTION: May play a role in signal transduction cascades in terminally differentiated cells.  51.8 kDa
Alternative Name:  Background:  Molecular Weight:  UniProt:	Cdk18 (CDK18 Products)  Cyclin-dependent kinase 18 (EC 2.7.11.22) (Cell division protein kinase 18) (PCTAIRE-motif protein kinase 3) (Serine/threonine-protein kinase PCTAIRE-3),FUNCTION: May play a role in signal transduction cascades in terminally differentiated cells.  51.8 kDa  Q04899  In addition to the applications listed above we expect the protein to work for functional studies
Alternative Name:  Background:  Molecular Weight:  UniProt:  Application Details	Cdk18 (CDK18 Products)  Cyclin-dependent kinase 18 (EC 2.7.11.22) (Cell division protein kinase 18) (PCTAIRE-motif protein kinase 3) (Serine/threonine-protein kinase PCTAIRE-3),FUNCTION: May play a role in signal transduction cascades in terminally differentiated cells.  51.8 kDa  Q04899  In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a
Alternative Name:  Background:  Molecular Weight:  UniProt:  Application Details	Cdk18 (CDK18 Products)  Cyclin-dependent kinase 18 (EC 2.7.11.22) (Cell division protein kinase 18) (PCTAIRE-motif protein kinase 3) (Serine/threonine-protein kinase PCTAIRE-3),FUNCTION: May play a role in signal transduction cascades in terminally differentiated cells.  51.8 kDa  Q04899  In addition to the applications listed above we expect the protein to work for functional studies

### Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months