

# Datasheet for ABIN7556915 **EBF1 Protein (AA 1-591) (His tag)**



## Overview

Quantity:	1 mg	
Target:	EBF1	
Protein Characteristics:	AA 1-591	
Origin:	Mouse	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This EBF1 protein is labelled with His tag.	
Application:	Western Blotting (WB), SDS-PAGE (SDS)	

## **Product Details**

Purpose:	Custom-made recombinat Ebf1 Protein expressed in mammalien cells.
Sequence:	MFGIQESIQR SGSSMKEEPL GSGMNAVRTW MQGAGVLDAN TAAQSGVGLA RAHFEKQPPS
	NLRKSNFFHF VLALYDRQGQ PVEIERTAFV GFVEKEKEAN SEKTNNGIHY RLQLLYSNGI
	RTEQDFYVRL IDSMTKQAIV YEGQDKNPEM CRVLLTHEIM CSRCCDKKSC GNRNETPSDP
	VIIDRFFLKF FLKCNQNCLK NAGNPRDMRR FQVVVSTTVN VDGHVLAVSD NMFVHNNSKH
	GRRARRLDPS EGTPSYLEHA TPCIKAISPS EGWTTGGATV IIIGDNFFDG LQVIFGTMLV
	WSELITPHAI RVQTPPRHIP GVVEVTLSYK SKQFCKGTPG RFIYTALNEP TIDYGFQRLQ
	KVIPRHPGDP ERLPKEVILK RAADLVEALY GMPHNNQEII LKRAADIAEA LYSVPRNHNQ
	LPALANTSVH AGMMGVNSFS GQLAVNVSEA SQATNQGFTR NSSSVSPHGY VPSTTPQQTN
	YNSVTTSMNG YGSAAMSNLG GSPTFLNGSA ANSPYAIVPS SPTMASSTSL PSNCSSSSGI
	FSFSPANMVS AVKQKSAFAP VVRPQTSPPP TCTSTNGNSL QAISGMIVPP M Sequence without
	tag. The proposed Purification-Tag is based on experiences with the expression system, a

## different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

### Target Details

	1r	g	е	ι.

EBF1

#### Alternative Name:

Background:

Ebf1 (EBF1 Products)

Transcription factor COE1 (O/E-1) (OE-1) (Early B-cell factor),FUNCTION: Key pioneer transcription factor of B-cell specification and commitment (PubMed:1915300, PubMed:7542362, PubMed:23812095). Recognizes variations of the palindromic sequence 5'-ATTCCCNNGGGAATT-3' (PubMed:20876732). Operates in a transcription factor network to activate B-cell-specific genes and repress genes associated with alternative cell fates (PubMed:23812095, PubMed:20451411). For instance, positively regulates many B-cell specific genes including BCR or CD40 while repressing genes that direct cells into alternative lineages, including GATA3 and TCF7 for the T-cell lineage (PubMed:23812095, PubMed:20451411). In addition to its role during lymphopoiesis, controls the thermogenic gene program in adipocytes during development and in response to environmental cold (PubMed:32130892).

{ECO:0000269|PubMed:1915300, ECO:0000269|PubMed:20451411,

## **Target Details**

Expiry Date:

12 months

rarget Details			
	ECO:0000269 PubMed:20876732, ECO:0000269 PubMed:23812095, ECO:0000269 PubMed:32130892, ECO:0000269 PubMed:7542362}.		
	ECO.0000209 Fubivied.32130692, ECO.0000209 Fubivied.7342302}.		
Molecular Weight:	64.5 kDa		
UniProt:	Q07802		
Application Details			
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies		
	as well. As the protein has not been tested for functional studies yet we cannot offer a		
	guarantee though.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	The buffer composition is at the discretion of the manufacturer.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Storage:	-80 °C		
Storage Comment:	Store at -80°C.		