

Datasheet for ABIN7556971

CLEC12B Protein (AA 1-275) (His tag)



Overview

Quantity:	1 mg
Target:	CLEC12B
Protein Characteristics:	AA 1-275
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CLEC12B protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details	
Purpose:	Custom-made recombinat Clec12b Protein expressed in mammalien cells.
Sequence:	MSDEVTYATL MLQDSARVRG NQDGNNLRKE GHPAQSSLWR GAALSLMTLC LVLVTGLVTL
	ATMFLQVSND INSDSEKLSQ LQKSIHPQQD NLSESLNSSR KSLTEESLQS QISALLERQE
	QMATKLCKEF LIHASDHKCN PCPKTWQWYG NSCYYFSINE EKSWSDSRKD CIDKNATLVK
	IDSTEERDLL QSQLSLTFSF FWLGLSWNSS GRNWLWEDGS FPPPTLFSDK ELASFNGSRD
	CAYFERGNIY ASRCSAEIPW ICEKTASLVK TEDLD Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please
	contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

Target:

custom-made

CLEC12B

Target Details

rarget.	OLLOTZB
Alternative Name:	Clec12b (CLEC12B Products)
Background:	C-type lectin domain family 12 member B,FUNCTION: Inhibitory receptor postulated to
	negatively regulate immune and non-immune functions (By similarity). Upon phosphorylation,
	recruits SH2 domain-containing PTPN6 and PTPN11 phosphatases to its ITIM motif and
	antagonizes activation signals (By similarity). Although it inhibits KLRK1/NKG2D-mediated
	signaling, it does not bind known ligands of KLRK1/NKG2D and therefore is not its inhibitory
	counterpart (By similarity). May limit activation of myeloid cell subsets in response to infection
	or tissue inflammation (By similarity). May protect target cells against natural killer cell-
	mediated lysis (By similarity). May negatively regulate cell cycle and differentiation of
	melanocytes via inactivation of STAT3 (By similarity). {ECO:0000250 UniProtKB:Q2HXU8}.
Molecular Weight:	31.2 kDa
UniProt:	Q149M0

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies

Application Details

	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months