

Datasheet for ABIN7557174 **RNFT2 Protein (AA 1-445) (His tag)**



Overview

Quantity:	1 mg
Target:	RNFT2
Protein Characteristics:	AA 1-445
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RNFT2 protein is labelled with His tag.

Product Details	
Purpose:	Custom-made recombinant Rnft2 Protein expressed in mammalian cells.
Sequence:	MWLLAAHQVL RKMQRRHSSN TDNIPPERSR SQALSPEASV DEGGVFESLK AETASPPALF
	SGLAGGLPAS PFPAGLVLGS TAGGGDVFIP MPATRDEAGG RSAEGSTYHH RQAHHHFHHG
	AHRGGSLLQH VGGDHRGHSE EGVDEQPGTP APALSELKAV ISWLQKGLPF ILILLAKLCF
	QHKLGIAVCI GMASTFAYAN STLREQVSLK EKRSVLVILW ILAFLAGNTM YVLYTFSSQQ
	LYSSLIFLKP NLETLDFFDL LWIVGIADFV LKYITIALKC LIVALPKIIL AVKSKGKFYL VIEELSQLFR
	SLVPIQLWYK YIMGDDSSNS YFLGGVLIVL YSLCKSFDIC GRVGGLRKAL KLLCTSQNYG
	VRATGQQCTE AGAVCAICQA EFRDPMILLC QHVFCEECLC LWLDRERTCP LCRSVAVDTL
	RCWKDGATSA HLQVY Sequence without tag. The proposed Purification-Tag is based on
	experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.

Product Details

Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made
Target Details	
Target:	
<u> </u>	RNFT2
Alternative Name:	RNFT2 Rnft2 (RNFT2 Products)
Alternative Name: Background:	
	Rnft2 (RNFT2 Products) RING finger and transmembrane domain-containing protein 2 (Transmembrane protein 118),FUNCTION: E3 ubiquitin-protein ligase that negatively regulates IL3-dependent cellular responses through IL3RA ubiquitination and degradation by the proteasome, having an anti-
Background:	RING finger and transmembrane domain-containing protein 2 (Transmembrane protein 118),FUNCTION: E3 ubiquitin-protein ligase that negatively regulates IL3-dependent cellular responses through IL3RA ubiquitination and degradation by the proteasome, having an anti-inflammatory effect. {ECO:0000269 PubMed:31990690}.
Background: Molecular Weight:	RING finger and transmembrane domain-containing protein 2 (Transmembrane protein 118),FUNCTION: E3 ubiquitin-protein ligase that negatively regulates IL3-dependent cellular responses through IL3RA ubiquitination and degradation by the proteasome, having an anti-inflammatory effect. {ECO:0000269 PubMed:31990690}. 48.9 kDa
Background: Molecular Weight: UniProt:	RING finger and transmembrane domain-containing protein 2 (Transmembrane protein 118),FUNCTION: E3 ubiquitin-protein ligase that negatively regulates IL3-dependent cellular responses through IL3RA ubiquitination and degradation by the proteasome, having an anti-inflammatory effect. {ECO:0000269 PubMed:31990690}. 48.9 kDa
Background: Molecular Weight: UniProt: Application Details	RING finger and transmembrane domain-containing protein 2 (Transmembrane protein 118),FUNCTION: E3 ubiquitin-protein ligase that negatively regulates IL3-dependent cellular responses through IL3RA ubiquitination and degradation by the proteasome, having an anti-inflammatory effect. {ECO:0000269 PubMed:31990690}. 48.9 kDa Q3UF64

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months