

Datasheet for ABIN7557619 CNOT7 Protein (AA 1-285) (His tag)



Go to Product page

Overviev	

OVERVIEW	
Quantity:	1 mg
Target:	CNOT7
Protein Characteristics:	AA 1-285
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CNOT7 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)
Product Details	

Purpose:	Custom-made recombinat Cnot7 Protein expressed in mammalien cells.
Sequence:	MPAATVDHSQ RICEVWACNL DEEMKKIRQV IRKYNYVAMD TEFPGVVARP IGEFRSNADY
	QYQLLRCNVD LLKIIQLGLT FMNEQGEYPP GTSTWQFNFK FNLTEDMYAQ DSIELLTTSG
	IQFKKHEEEG IETQYFAELL MTSGVVLCEG VKWLSFHSGY DFGYLIKILT NSNLPEEELD
	FFEILRLFFP VIYDVKYLMK SCKNLKGGLQ EVAEQLELER IGPQHQAGSD SLLTGMAFFK
	MREMFFEDHI DDAKYCGHLY GLGSGSSYVQ NGTGNAYEEE ASKQS Sequence without tag. The
	proposed Purification-Tag is based on experiences with the expression system, a different
	complexity of the protein could make another tag necessary. In case you have a special
	request, please contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	CNOT7
Alternative Name:	Cnot7 (CNOT7 Products)
Background:	CCR4-NOT transcription complex subunit 7 (EC 3.1.13.4) (CCR4-associated factor 1) (CAF-
	1),FUNCTION: Has 3'-5' poly(A) exoribonuclease activity for synthetic poly(A) RNA substrate. Its
	function seems to be partially redundant with that of CNOT8. Catalytic component of the CCR4-
	NOT complex which is one of the major cellular mRNA deadenylases and is linked to various
	cellular processes including bulk mRNA degradation, miRNA-mediated repression, translational
	repression during translational initiation and general transcription regulation. During miRNA-
	mediated repression the complex seems also to act as translational repressor during
	translational initiation. Additional complex functions may be a consequence of its influence on
	mRNA expression. Required for miRNA-mediated mRNA deadenylation. Associates with
	members of the BTG family such as TOB1 and BTG2 and is required for their anti-proliferative
	activity. {ECO:0000269 PubMed:19716330, ECO:0000269 PubMed:22367759}.
Molecular Weight:	32.7 kDa
UniProt:	Q60809
Pathways:	Ribonucleoprotein Complex Subunit Organization

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months