

## Datasheet for ABIN7557696 BAD Protein (AA 1-204) (His tag)



_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Quantity:	1 mg
Target:	BAD
Protein Characteristics:	AA 1-204
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This BAD protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat Bad Protein expressed in mammalien cells.
Sequence:	MGTPKQPSLA PAHALGLRKS DPGIRSLGSD AGGRRWRPAA QSMFQIPEFE PSEQEDASAT
	DRGLGPSLTE DQPGPYLAPG LLGSNIHQQG RAATNSHHGG AGAMETRSRH SSYPAGTEED
	EGMEEELSPF RGRSRSAPPN LWAAQRYGRE LRRMSDEFEG SFKGLPRPKS AGTATQMRQS
	AGWTRIIQSW WDRNLGKGGS TPSQ Sequence without tag. The proposed Purification-Tag is
	based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	<ul> <li>Protein expressed in mammalien cells and purified in one-step affinity chromatography</li> </ul>
	<ul> <li>The optimized expression system ensures reliability for intracellular, secreted and</li> </ul>
	transmembrane proteins.

	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made
Target Details	
Target:	BAD
Alternative Name:	Bad (BAD Products)
Background:	Bcl2-associated agonist of cell death (BAD) (Bcl-2-binding component 6) (Bcl-xL/Bcl-2-associated death promoter) (Bcl2 antagonist of cell death), FUNCTION: Promotes cell death. Successfully competes for the binding to Bcl-X(L), Bcl-2 and Bcl-W, thereby affecting the level of heterodimerization of these proteins with BAX. Can reverse the death repressor activity of Bcl-X(L), but not that of Bcl-2. Appears to act as a link between growth factor receptor signaling and the apoptotic pathways.
Molecular Weight:	22.1 kDa
UniProt:	Q61337
Pathways:	MAPK Signaling, PI3K-Akt Signaling, RTK Signaling, Apoptosis, Fc-epsilon Receptor Signaling Pathway, Positive Regulation of Peptide Hormone Secretion, Carbohydrate Homeostasis, Positive Regulation of Endopeptidase Activity, Regulation of Carbohydrate Metabolic Process, Hepatitis C, CXCR4-mediated Signaling Events
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a

## **Application Details**

	guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months