

## Datasheet for ABIN7557875

### SLC13A5 Protein (AA 1-572) (His tag)



()	ve	r\/i	۱۸/
$\cup$	V C	1 / 1	 v v

Quantity:	1 mg
Target:	SLC13A5
Protein Characteristics:	AA 1-572
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC13A5 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details		
Purpose:	Custom-made recombinat Slc13a5 Protein expressed in mammalien cells.	
Sequence:	MDSAKTCVTK FKSFAILLFT PILMLPLVIL IPDKFARCAY VIVIMAVYWC TDVIPVAVTS	
	LLPVLLFPLL KVLDSKQVCI QYMKDTNMLF LGSLIVAVAV ERWKLHKRVA LRMLLFVGTK	
	PSRLMLGFMF VTAFLSMWIS NTAATAMMIP IVEAMLQQMI AANTAVEASL GTLELLDKNK	
	TSELPGSQVV FEDPNVQEQE DEETKNMYKA MHLCVCYSAS IGGTATLTGT GPNVVLLGQM	
	QELFPDSKDV LNYASWFGFA FPNMVMMLVL AWLWLQCLYM RHNLKKTCIC CGEKKRDTEK	
	IAYKVLNEEY QKLGSLSYPE CNVLFCFTLL VILWFSRDPG FMPGWLSFAW VEGNTVHITD	
	ATVAIFVAIL LFIIPSQKPK FNFSSQTEEE RKTPFYPPAL LDWKVAQEKV PWDIVLLLGG	
	GFAMAKGCET SGLSKWMAAQ MEPLRLVKPA VITLILSCLV AMTTECTSNV ATTTLFLPIF	
	ASMARSIGIH PLYVMIPCTM SASLAFMLPV ATPPNAIVFA YGHLRVVDMM KTGLIMNFVG	
	ILSVFLSVNT WGRAMFNLDN FPDWANSTSV NT Sequence without tag. The proposed	
	Purification-Tag is based on experiences with the expression system, a different complexit	

# of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

#### **Target Details**

7	arget:
•	arget.

SLC13A5

Alternative Name:

Slc13a5 (SLC13A5 Products)

#### Background:

Na(+)/citrate cotransporter (NaCT) (Sodium-coupled citrate transporter) (Sodium-dependent citrate transporter) (Solute carrier family 13 member 5),FUNCTION: High-affinity sodium/citrate cotransporter that mediates citrate entry into cells, which is a critical participant of biochemical pathways (PubMed:35448538, PubMed:26324167, PubMed:14656221). May function in various metabolic processes in which citrate has a critical role such as energy production (Krebs cycle), fatty acid synthesis, cholesterol synthesis, glycolysis, and gluconeogenesis (PubMed:12826022). Transports citrate into the cell in a Na(+)-dependent manner, recognizing the trivalent form of citrate (physiological pH) rather than the divalent form (PubMed:12826022, PubMed:14656221, PubMed:26324167). Can recognizes succinate as a substrate, but its affinity for succinate is several fold lower than for citrate (PubMed:26324167, PubMed:14656221). The stoichiometry is probably 4 Na(+) for each carboxylate, irrespective of

#### **Target Details**

whether the translocated substrate is divalent or trivalent, rendering the process electrogenic (PubMed:26324167, PubMed:14656221). Involved in the regulation of citrate levels in the brain (PubMed:32682952). {ECO:0000269|PubMed:12826022, ECO:0000269|PubMed:14656221, ECO:0000269|PubMed:26324167, ECO:0000269|PubMed:32682952, ECO:0000269|PubMed:35448538}.

Molecular Weight: 63.8 kDa

UniProt: Q67BT3

Pathways: Dicarboxylic Acid Transport

#### **Application Details**

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies

as well. As the protein has not been tested for functional studies yet we cannot offer a

guarantee though.

Restrictions: For Research Use only

#### Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Expiry Date: 12 months