

[Go to Product page](#)

Datasheet for ABIN7558074
NAA50 Protein (AA 1-169) (His tag)

Overview

Quantity:	1 mg
Target:	NAA50
Protein Characteristics:	AA 1-169
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NAA50 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant Naa50 Protein expressed in mammalian cells.
Sequence:	MKGSRIELGD VTPHNIKQLK RLNQVIFPVS YNDKFYKDVL EVGELAKLAY FNDIAVGAVC CRVDHSQNQK RLYIMTLGCL APYRRLGIGT KMLNHVLNIC EKDGTFDNIY LHVQISNES IDFYRKFGE IETKKNYYK RIEPADAHV L QKNLKVPSGQ NAETQKTDN Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits: <ul style="list-style-type: none">• Made to order protein - from design to production - by highly experienced protein experts.• Protein expressed in mammalian cells and purified in one-step affinity chromatography• The optimized expression system ensures reliability for intracellular, secreted and

Product Details

transmembrane proteins.

- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
---------	---

Grade:	custom-made
--------	-------------

Target Details

Target:	NAA50
---------	-------

Alternative Name:	Naa50 (NAA50 Products)
-------------------	--

Background:	<p>N-alpha-acetyltransferase 50 (EC 2.3.1.258) (N-acetyltransferase NAT13) (N-epsilon-acetyltransferase 50) (EC 2.3.1.-) (NatE catalytic subunit),FUNCTION: N-alpha-acetyltransferase that acetylates the N-terminus of proteins that retain their initiating methionine (By similarity). Has a broad substrate specificity: able to acetylate the initiator methionine of most peptides, except for those with a proline in second position (By similarity). Also displays N-epsilon-acetyltransferase activity by mediating acetylation of the side chain of specific lysines on proteins (By similarity). Autoacetylates in vivo (By similarity). The relevance of N-epsilon-acetyltransferase activity is however unclear: able to acetylate H4 in vitro, but this result has not been confirmed in vivo (By similarity). Component of N-alpha-acetyltransferase complexes containing NAA10 and NAA15, which has N-alpha-acetyltransferase activity (By similarity). Does not influence the acetyltransferase activity of NAA10 (By similarity). However, it negatively regulates the N-alpha-acetyltransferase activity of the N-terminal acetyltransferase A complex (also called the NatA complex) (By similarity). The multiprotein complexes probably constitute the major contributor for N-terminal acetylation at the ribosome exit tunnel, with NAA10 acetylating all amino termini that are devoid of methionine and NAA50 acetylating other peptides (By similarity). Required for sister chromatid cohesion during mitosis by promoting binding of CDCA5/sororin to cohesin: may act by counteracting the function of NAA10 (By</p>
-------------	---

Target Details

similarity). {ECO:0000250|UniProtKB:Q9GZZ1}.

Molecular Weight: 19.4 kDa

UniProt: [Q6PGB6](#)

Application Details

Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months