

Datasheet for ABIN7558181 OSTC Protein (AA 1-149) (His tag)



Overview

Quantity:	1 mg
Target:	OSTC
Protein Characteristics:	AA 1-149
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This OSTC protein is labelled with His tag.

Custom-made recombinant Ostc Protein expressed in mammalian cells.
METLYRVPFL VLECPNLKLK KPPWVHMPSA MTVYALVVVS YFLITGGIIY DVIVEPPSVG
SMTDEHGHQR PVAFLAYRVN GQYIMEGLAS SFLFTMGGLG FIILDRSNAP NIPKLNRFLL
LFIGFVCVLL SFFMARVFMR MKLPGYLMG Sequence without tag. The proposed Purification-
Tag is based on experiences with the expression system, a different complexity of the
protein could make another tag necessary. In case you have a special request, please
contact us.
If you are looking for a specific domain and are interested in a partial protein or a different
isoform, please contact us regarding an individual offer.
Key Benefits:
Made to order protein - from design to production - by highly experienced protein experts.
Protein expressed in mammalian cells and purified in one-step affinity chromatography
 The optimized expression system ensures reliability for intracellular, secreted and

transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade:

custom-made

Target Details

Target:	OSTC
Alternative Name:	Ostc (OSTC Products)
Background:	Oligosaccharyltransferase complex subunit OSTC,FUNCTION: Specific component of the STT3A-containing form of the oligosaccharyl transferase (OST) complex that catalyzes the initial transfer of a defined glycan (Glc(3)Man(9)GlcNAc(2) in eukaryotes) from the lipid carrier dolichol-pyrophosphate to an asparagine residue within an Asn-X-Ser/Thr consensus motif in nascent polypeptide chains, the first step in protein N-glycosylation. N-glycosylation occurs cotranslationally and the complex associates with the Sec61 complex at the channel-forming translocon complex that mediates protein translocation across the endoplasmic reticulum (ER). All subunits are required for a maximal enzyme activity. May be involved in N-glycosylation of APP (amyloid-beta precursor protein). Can modulate gamma-secretase cleavage of APP by enhancing endoprotelysis of PSEN1. {ECO:0000250 UniProtKB:Q9NRP0}.
Molecular Weight:	16.8 kDa
UniProt:	Q78XF5

Application Details

Application Notes:

We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Application Details

Storage Comment:

Expiry Date:

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C

Store at -80°C.

12 months