

Datasheet for ABIN7558498 SLC39A9 Protein (AA 1-308) (His tag)



Go to Product page

\sim				
O_1	/ el	rVI	161	Λ

Quantity:	1 mg
Target:	SLC39A9
Protein Characteristics:	AA 1-308
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC39A9 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Purpose:	Custom-made recombinat Slc39a9 Protein expressed in mammalien cells.
Sequence:	MDDFLSISLL SVAMLVGCYV AGIIPLAVNF SEERLKLVTV LGAGLLCGTA LAVIVPEGVH
	ALYEEVLEGK HHQTSEMKQN GIASDKAAEI SSVHEHEHSH DHTQLHAYIG VSLVLGFVFM
	LLVDQIGSSH VHSSDDPETA RPSSSKITTT LGLVVHAAAD GVALGAAAST SQTSVQLIVF
	VAIMLHKAPA AFGLVSFLMH AGLERNRIRK HLLVFALAAP AMSMLTYLGL SKSSKEALSE
	VNATGVAMLF SAGTFLYVAT VHVLPEVGGM GHSHKPDTTG GRGLSRLEVA ALVLGCLIPL
	ILSIGHQH Sequence without tag. The proposed Purification-Tag is based on experiences
	with the expression system, a different complexity of the protein could make another tag
	necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts.

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target: SLC39A9

Alternative Name:

Slc39a9 (SLC39A9 Products)

Background:

Zinc transporter ZIP9 (Solute carrier family 39 member 9) (Zrt- and Irt-like protein 9) (ZIP-9),FUNCTION: Transports zinc ions across cell and organelle membranes into the cytoplasm and regulates intracellular zinc homeostasis. Participates in the zinc ions efflux out of the secretory compartments. Regulates intracellular zinc level, resulting in the enhancement of AKT1 and MAPK3/MAPK1 (Erk1/2) phosphorylation in response to the BCR activation (By similarity). Also functions as a membrane androgen receptor that mediates, through a G protein, the non-classical androgen signaling pathway, characterized by the activation of MAPK3/MAPK1 (Erk1/2) and transcription factors CREB1 or ATF1 (PubMed:26208885). This pathway contributes to CLDN1 and CLDN5 expression and tight junction formation between adjacent Sertoli cells (By similarity). Mediates androgen-induced vascular endothelial cell proliferation through activation of an inhibitory G protein leading to the AKT1 and MAPK3/MAPK1 (Erk1/2) activation which in turn modulate inhibition (phosphorylation) of GSK3B and CCND1 transcription. Moreover, has dual functions as a membrane-bound androgen receptor and as an androgen-dependent zinc transporter both of which are mediated through an inhibitory G protein (Gi) that mediates both MAP kinase and zinc signaling leading to

Target Details

Expiry Date:

12 months

rarget betails	
	the androgen-dependent apoptotic process (By similarity). {ECO:0000250 UniProtKB:Q3KR82, ECO:0000250 UniProtKB:Q9NUM3, ECO:0000269 PubMed:26208885}.
Molecular Weight:	32.4 kDa
UniProt:	Q8BFU1
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.