

Datasheet for ABIN7558864 **AP3S2 Protein (AA 1-193) (His tag)**



Go to Product page

_					
	W	0	rv	10	W

Quantity:	1 mg	
Target:	AP3S2	
Protein Characteristics:	AA 1-193	
Origin:	Mouse	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This AP3S2 protein is labelled with His tag.	
Application:	Western Blotting (WB), SDS-PAGE (SDS)	
Product Details		
Purpose:	Custom-made recombinat Ap3s2 Protein expressed in mammalien cells.	
Sequence:	MIQAILVFNN HGKPRLVRFY QRFPEEIQQQ IVRETFHLVL KRDDNICNFL EGGSLIGGSD	
	YKLIYRHYAT LYFVFCVDSS ESELGILDLI QVFVETLDKC FENVCELDLI FHMDKVHYIL	
	QEVVMGGMVL ETNMNEIVAQ IEAQNRLEKS EGGLSAAPAR AVSAVKNINL PEIPRNINIG	
	QEV VIVIO GIVILE ETTAVITATION DE LA CONTRA LA	
	DLNIKVPNLS QFV Sequence without tag. The proposed Purification-Tag is based on	
	DLNIKVPNLS QFV Sequence without tag. The proposed Purification-Tag is based on	
Characteristics:	DLNIKVPNLS QFV Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make	

	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	nagments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made
Target Details	
Target:	AP3S2
Alternative Name:	Ap3s2 (AP3S2 Products)
Background:	AP-3 complex subunit sigma-2 (AP-3 complex subunit sigma-3B) (Adaptor-related protein
	complex 3 subunit sigma-2) (Sigma-3B-adaptin) (Sigma3B-adaptin) (Sigma-adaptin
	3b),FUNCTION: Part of the AP-3 complex, an adaptor-related complex which is not clathrin-
	associated. The complex is associated with the Golgi region as well as more peripheral
	structures. It facilitates the budding of vesicles from the Golgi membrane and may be directly
	involved in trafficking to lysosomes. In concert with the BLOC-1 complex, AP-3 is required to
	target cargos into vesicles assembled at cell bodies for delivery into neurites and nerve
	terminals. {ECO:0000269 PubMed:21998198}.
Molecular Weight:	22.0 kDa
UniProt:	Q8BSZ2
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	