

Datasheet for ABIN7559209 ATG4A Protein (AA 1-396) (His tag)



Overview

Quantity:	1 mg
Target:	ATG4A
Protein Characteristics:	AA 1-396
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATG4A protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant Atg4a Protein expressed in mammalian cells.
Sequence:	MESVMSKYEN QILIFPDYLE EFPDTDELVW ILGKQHPLKT EKSKLLSDIS ARLWFTYRRK
	FSPIGGTGPS SDAGWGCMLR CGQMMLAQAL ICRHLGRDWN WERQKEQPKE YQRILQCFLD
	RKDCCYSIHQ MAQMGVGEGK SIGEWFGPNT VAQVIKKLAL FDEWNSLAVY VSMDNTVVIE
	DIKKMCCVLP VGAADPAGDF LTASNQSRDT SVPCSAWKPL LLIVPLRLGI NQINPVYVEA
	FKECFKMPQS LGALGGKPNN AYYFIGFLGD ELIFLDPHTT QTFVDIEESG LVDDQTFHCL
	QSPQRMSILN LDPSVALGFF CKEEKDFDNW CSLVQKEILK ENLRMFELVQ KHPSHWPPFV
	PPAKPEVTTT GAEFIESTEQ LEDFELEEDF EILSVG Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please
	contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7559209 | 03/28/2025 | Copyright antibodies-online. All rights reserved.

Product Details	
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made
Target Details	

ATG4A Target: Alternative Name: Atg4a (ATG4A Products) Background: Cysteine protease ATG4A (EC 3.4.22.-) (AUT-like 2 cysteine endopeptidase) (Autophagy-related cysteine endopeptidase 2) (Autophagin-2) (Autophagy-related protein 4 homolog A), FUNCTION: Cysteine protease that plays a key role in autophagy by mediating both proteolytic activation and delipidation of ATG8 family proteins. The protease activity is required for proteolytic activation of ATG8 family proteins: cleaves the C-terminal amino acid of ATG8 proteins to reveal a C-terminal glycine. Exposure of the glycine at the C-terminus is essential for ATG8 proteins conjugation to phosphatidylethanolamine (PE) and insertion to membranes, which is necessary for autophagy. Preferred substrate is GABARAPL2 followed by MAP1LC3A and GABARAP. Protease activity is also required to counteract formation of high-molecular weight conjugates of ATG8 proteins (ATG8ylation): acts as a deubiquitinating-like enzyme that removes ATG8 conjugated to other proteins, such as ATG3. In addition to the protease activity, also mediates delipidation of ATG8 family proteins. Catalyzes delipidation of PE-conjugated forms of ATG8 proteins during macroautophagy. Compared to ATG4B, the major protein for

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7559209 | 03/28/2025 | Copyright antibodies-online. All rights reserved.

Target Details

	proteolytic activation of ATG8 proteins, shows weaker ability to cleave the C-terminal amino acid of ATG8 proteins, while it displays stronger delipidation activity. Involved in phagophore growth during mitophagy independently of its protease activity and of ATG8 proteins: acts by regulating ATG9A trafficking to mitochondria and promoting phagophore-endoplasmic reticulum contacts during the lipid transfer phase of mitophagy. {ECO:0000250 UniProtKB:Q8WYN0}.
Molecular Weight:	45.1 kDa
UniProt:	Q8C9S8
Pathways:	Autophagy
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Other and Annual to	
Storage Comment:	Store at -80°C.