



Datasheet for ABIN755932
anti-APC1 antibody (pSer377)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	APC1 (ANAPC1)
Binding Specificity:	pSer377
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This APC1 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic phosphopeptide derived from human ANAPC1 around the phosphorylation site of Ser377
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	APC1 (ANAPC1)
---------	---------------

Target Details

Alternative Name: APC1 ([ANAPC1 Products](#))

Background: Synonyms: Apc1 phospho S377, p-Apc1 phospho S377, ANAPC1Ser377, ANAPC 1, ANAPC1, Anaphase promoting complex subunit 1, anaphase-promoting complex 1 meiotic checkpoint regulator, Anaphase-promoting complex subunit 1, Apc 1, APC1, APC1_HUMAN, Cyclosome subunit 1, MCPR, Meiotic checkpoint regulator, Mitotic checkpoint regulator, Protein Tsg 24, Protein Tsg24, Testis-specic gene 24 protein, TSG 24, TSG24.

Background: This gene encodes a subunit of the anaphase-promoting complex. This complex is an E3 ubiquitin ligase that regulates progression through the metaphase to anaphase portion of the cell cycle by ubiquitinating proteins which targets them for degradation. [provided by RefSeq, Dec 2011].

Gene ID: 64682

Application Details

Application Notes: ELISA 1:500-1000
IHC-P 1:200-400
IHC-F 1:100-500
IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Expiry Date: 12 months



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Paraformaldehyde-fixed, paraffin embedded Rat brain; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with APC1 (Ser377) Polyclonal Antibody, Unconjugated (bs-5174R) at 1:500 overnight at 4°C, followed by a conjugated secondary (sp-0023) for 20 minutes and DAB staining.