

Datasheet for ABIN7559826 **TAF9 Protein (AA 1-172) (His tag)**



Overview

Quantity:	1 mg
Target:	TAF9
Protein Characteristics:	AA 1-172
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TAF9 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat Ak6 Protein expressed in mammalien cells.
Sequence:	MKLPNILLTG TPGVGKTTLG KELASRSGLK YVNVGDLARE GQLYDGYDEE YGCPILDEDR VVDELEHQMQ EGGVIVDYHG CDFFPERWFH IVFVLRTDNG VLYKRLETRG YNEKKLQDNI QCEIFQVLYE EAIASYKEEI VHQLPSNEPE QLEDNINQIS KWIEQWVKDH NP Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a
Characteristics:	 Key Benefits: Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	TAF9
Alternative Name:	Ak6 (TAF9 Products)
Background:	Adenylate kinase isoenzyme 6 (AK6) (EC 2.7.4.3) (Coilin-interacting nuclear ATPase protein)
	(Dual activity adenylate kinase/ATPase) (AK/ATPase),FUNCTION: Broad-specificity nucleoside
	monophosphate (NMP) kinase that catalyzes the reversible transfer of the terminal phosphate
	group between nucleoside triphosphates and monophosphates. Has also ATPase activity.
	Involved in the late cytoplasmic maturation steps of the 40S ribosomal particles, specifically
	18S rRNA maturation. While NMP activity is not required for ribosome maturation, ATPase
	activity is. Associates transiently with small ribosomal subunit protein uS11. ATP hydrolysis
	breaks the interaction with uS11. May temporarily remove uS11 from the ribosome to enable a
	conformational change of the ribosomal RNA that is needed for the final maturation step of the
	small ribosomal subunit. Its NMP activity may have a role in nuclear energy homeostasis. May
	be involved in regulation of Cajal body (CB) formation. {ECO:0000255 HAMAP-Rule:MF_03173}.
Molecular Weight:	19.9 kDa
UniProt:	Q8VCP8
Pathways:	Negative Regulation of intrinsic apoptotic Signaling

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months