

# Datasheet for ABIN7559883

# MTMR6 Protein (AA 1-617) (His tag)



Go to Product page

_						
	V	$\triangle$	r۱	/1	$\triangle$	Λ/
	' V '		ΙV			v v

Quantity:	1 mg
Target:	MTMR6
Protein Characteristics:	AA 1-617
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MTMR6 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

### **Product Details**

Purpose:	Custom-made recombinat Mtmr6 Protein expressed in mammalien cells.
Sequence:	MEHIRTTKVE QVKLLDRFST NNKSLTGTLY LTATHLLFID AQQKETWILH HHIASVEKLA
	LTTSGCPLVI QCKNFRIVHF IVPRERDCHD IYNSLLQLSK QAKYEDLYAF SYNPKQNDTE
	RRNGWQLIDL AAEYERMGVP NANWQLSDAN REYKVCETYP RELYVPRTAS RPVIVGSSNF
	RSKGRLPVLS YCRQGTEAAI CRCSQPLSGF SARCLEDEHL LQAISKANPG NRYMYVVDTR
	PKLNAIANRA AGKGYENEDN YSNIRFQFVG IENIHVMRSS LQKLLEVNGS KGLSVNDFYS
	GLESSGWLRH IKAVLDAAIF LAKAIVVENA SVLVHCSDGW DRTSQVCSLG SLLLDSYYRT
	MKGFMVLIEK DWISFGHKFS ERCGHLDGDP REVSPVFTQF LECVWHLTQQ FPQAFEFNEA
	FLLQIHEHIH SCQFGNFLGN CQKEREELRL KEKTYSLWPF LLDDKKKYLN PLYSSKSQRL
	TVLEPNTASF NFKFWRNMYH QFDRTLHPRQ SVLSIIMNMN EQSKQLEEDI KDLEAKIKQC
	KNGILTKELL HAVHPESPAL KTSLCLKEPS LLPVKDTLRA IEGSSPADNR YCDYAEEFSK
	SEPTVVSLEY GVARMTC Sequence without tag. The proposed Purification-Tag is based

experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

## **Target Details**

Target:	MTMR6	
Alternative Name:	Mtmr6 (MTMR6 Products)	
Background:	Myotubularin-related protein 6 (Phosphatidylinositol-3,5-bisphosphate 3-phosphatase) (EC 3.1.3.95) (Phosphatidylinositol-3-phosphate phosphatase) (EC 3.1.3.64),FUNCTION:	
	Phosphatase that acts on lipids with a phosphoinositol headgroup. Dephosphorylates	
	phosphatidylinositol 3-phosphate (PtdIns(3)P) and phosphatidylinositol 3.5-bisphosphate B	

3.1.3.95) (Phosphatidylinositol-3-phosphate phosphatase) (EC 3.1.3.64), FUNCTION: Phosphatase that acts on lipids with a phosphoinositol headgroup. Dephosphorylates phosphatidylinositol 3-phosphate (PtdIns(3)P) and phosphatidylinositol 3,5-bisphosphate. Binds with high affinity to phosphatidylinositol 3,5-bisphosphate (PtdIns(3,5)P2) but also to phosphatidylinositol 3-phosphate (PtdIns(3)P), phosphatidylinositol 4-phosphate (PtdIns(4)P), and phosphatidylinositol 5-phosphate (PtdIns(5)P), phosphatidic acid and phosphatidylserine (By similarity). Negatively regulates ER-Golgi protein transport (By similarity). Probably in association with MTMR9, plays a role in the late stages of macropinocytosis by dephosphorylating phosphatidylinositol 3-phosphate in membrane ruffles (PubMed:24591580). Acts as a negative regulator of KCNN4/KCa3.1 channel activity in CD4(+) T-cells possibly by

#### **Target Details**

decreasing intracellular levels of phosphatidylinositol 3-phosphate. Negatively regulates proliferation of reactivated CD4(+) T-cells. In complex with MTMR9, negatively regulates DNA damage-induced apoptosis. The formation of the MTMR6-MTMR9 complex stabilizes both MTMR6 and MTMR9 protein levels (By similarity). {ECO:0000250|UniProtKB:A0A0G2JXT6, ECO:0000250|UniProtKB:Q9Y217, ECO:0000269|PubMed:24591580}.

Molecular Weight: 70.9 kDa

UniProt: Q8VE11

Pathways: Inositol Metabolic Process

## **Application Details**

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies

as well. As the protein has not been tested for functional studies yet we cannot offer a

guarantee though.

Restrictions: For Research Use only

#### Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Expiry Date: 12 months