

Datasheet for ABIN7560027 SETD3 Protein (AA 1-594) (His tag)



Overview

Quantity:	1 mg
Target:	SETD3
Protein Characteristics:	AA 1-594
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SETD3 protein is labelled with His tag.

Draduat Dataila

Product Details	
Purpose:	Custom-made recombinant Setd3 Protein expressed in mammalian cells.
Sequence:	MGKKSRVKTQ KSGTGATATV SPKEILNLTS ELLQKCSSPA PSPGKEWEEY TQIRALVEKI
	RKKQKGLSVT FDGKREDYFP DLMKWASENG ASVEGFEMVN FKEEGFGLRA TRDIKAEELF
	LWVPRKLLMT VESAKNSVLG PLYSQDRILQ AMGNIALAFH LLCERASPNS FWQPYIQTLP
	SEYDTPLYFE EEEVRCLQST QAIHDVFSQY KNTARQYAYF YKVIQTHPHA NKLPLKESFT
	YEDYRWAVSS VMTRQNQIPT EDGSRVTLAL IPLWDMCNHT NGLITTGYNL EDDRCECVAL
	QDFQAGDQIY IFYGTRSNAE FVIHSGFFFD NNSHDRVKIK LGVSKSDRLY AMKAEVLARA
	GIPTSSVFAL HSTEPPISAQ LLAFLRVFCM TEEELKEHLL GDSAIDRIFT LGNAEFPVSW
	DNEVKLWTFL EDRASLLLKT YKTTIEEDKI VLKNPDLSVR ATMAIKLRLG EKEILEKAVK
	SAAVNREYYR KHMEERAPLP RYEESDLGLL EGGVGDSRLP LVLRKLEEEA GVQESLSLTE
	TVSKVKAAEN GLVNGENLIP NGTRSENESL SPEESENVTG EESSGSMAKV KERL Sequence
	without tag. The proposed Purification-Tag is based on experiences with the expression
	system, a different complexity of the protein could make another tag necessary. In case you

Product Details

	have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPL
Grade:	custom-made
Target Details	
Target:	SETD3
Alternative Name:	Setd3 (SETD3 Products)
Background:	Actin-histidine N-methyltransferase (EC 2.1.1.85) (Endothelial differentiation inhibitory protein
	D10) (Protein-L-histidine N-tele-methyltransferase) (SET domain-containing protein 3),FUNCTION: Protein-histidine N-methyltransferase that specifically mediates 3-
	o), or
	methylhistidine (tele-methylhistidine) methylation of actin at 'His-73' (PubMed:30626964).
	methylhistidine (tele-methylhistidine) methylation of actin at 'His-73' (PubMed:30626964). Histidine methylation of actin is required for smooth muscle contraction of the laboring uteru
	Histidine methylation of actin is required for smooth muscle contraction of the laboring uteru
	Histidine methylation of actin is required for smooth muscle contraction of the laboring uteru during delivery (PubMed:30626964). Does not have protein-lysine N-methyltransferase activity
	methylhistidine (tele-methylhistidine) methylation of actin at 'His-73' (PubMed:30626964). Histidine methylation of actin is required for smooth muscle contraction of the laboring uteru during delivery (PubMed:30626964). Does not have protein-lysine N-methyltransferase activition and probably only catalyzes histidine methylation of actin (PubMed:30626964). {ECO:0000269 PubMed:30626964}.

Target Details

Storage Comment:

Expiry Date:

Store at -80°C.

12 months

UniProt:	Q91WC0
Pathways:	Regulation of Muscle Cell Differentiation
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C