

Datasheet for ABIN7560115 CSDC2 Protein (AA 1-154) (His tag)



Overview

Quantity:	1 mg
Target:	CSDC2
Protein Characteristics:	AA 1-154
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CSDC2 protein is labelled with His tag.

Product Details

Custom-made recombinant Csdc2 Protein expressed in mammalian cells.
MTSESTLPPV VPPLHSPKSP VWPTFPFHRE GSRIWERGGG IAPRDLPSPL PTKRTRTYSA
TARASAGPVF KGVCKQFSRS QGHGFITPEN GSEDIFVHVS DIEGEYVPVE GDEVTYKICP
IPPKNQKFQA VEVVLTQLAP HTPHETWSGQ VVGS Sequence without tag. The proposed
Purification-Tag is based on experiences with the expression system, a different complexity
of the protein could make another tag necessary. In case you have a special request, please
contact us.
If you are looking for a specific domain and are interested in a partial protein or a different
isoform, please contact us regarding an individual offer.
Key Benefits:
Made to order protein - from design to production - by highly experienced protein experts.
Protein expressed in mammalian cells and purified in one-step affinity chromatography
The optimized expression system ensures reliability for intracellular, secreted and

transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade:

custom-made

Target Details

Target:	CSDC2
Alternative Name:	Csdc2 (CSDC2 Products)
Background:	Cold shock domain-containing protein C2 (RNA-binding protein PIPPin),FUNCTION: RNA-binding factor which binds specifically to the very 3'-UTR ends of both histone H1 and H3.3 mRNAs, encompassing the polyadenylation signal. Might play a central role in the negative regulation of histone variant synthesis in the developing brain (By similarity). {ECO:0000250}.
Molecular Weight:	16.9 kDa
UniProt:	Q91YQ3

Application Details

Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Handling

Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months