

Datasheet for ABIN7560169

CasLTR2 Protein (AA 1-309) (His tag)



Overview

Quantity:	1 mg
Target:	CasLTR2 (CYSLTR2)
Protein Characteristics:	AA 1-309
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CasLTR2 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)
Product Details	
Purpose:	Custom-made recombinat Cysltr2 Protein expressed in mammalien cells.
Sequence:	MEVTGTPSSY SNRNCTIENF KKEFYPIIYL IIFFWGALGN GFSIYVFLQT CKKSTSVNVF
	MLNLATSDFL FISTLPFRAD YYFRGSNWIF GDLACRVMSY SLYVNMYTSI YFLTVLSVVR
	FLATVHPFRM FHVTSVRSAW ILCGIIWVFI MASSALLLVN GQEEKDNIIS CLELSPQKFK
	SLLIMNHIAV AVGFLLPFLT LTVCYLLIIR ILLKAEIPES GPRAAHRKAL TTIVIAMITF LLCFLPYHAL
	RTLHLVTWDK DSCGDVLHKA TVITLTMAAA NSCFNPFLYY FAGENFKARL RAIFSKVHL
	Sequence without tag. The proposed Purification-Tag is based on experiences with the
	expression system, a different complexity of the protein could make another tag necessary.
	In case you have a special request, please contact us.
Characteristics:	K D G
Grial acteristics.	Key Benefits:

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:	> 90 % as determined by Bis-Tris Page, Western Blot

custom-made

Target Details

Grade:

Target:	CasLTR2 (CYSLTR2)
Alternative Name:	Cysltr2 (CYSLTR2 Products)
Background:	Cysteinyl leukotriene receptor 2 (CysLTR2), FUNCTION: Receptor for cysteinyl leukotrienes. The response is mediated via a G-protein that activates a phosphatidylinositol-calcium second messenger system. The rank order of affinities for the leukotrienes is LTC4 = LTD4 >> LTE4.
Molecular Weight:	35.2 kDa
UniProt:	Q920A1

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months