

Datasheet for ABIN7560172
MED28 Protein (AA 1-178) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	MED28
Protein Characteristics:	AA 1-178
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MED28 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat Med28 Protein expressed in mammalien cells.
Sequence:	MAASLGGMFT GQPPGPPPPP PGLPGQASLL QAAPGAPRPS NSTLVDELES SFEACFASLV SQDYVNGTDQ EEIRTGVDQC IQKFLDIARQ TECFFLQKRL QLSVQKPDQV IKEDVSELRS ELQRKDALVQ KHLTKLRHWQ QVLEDINVQH KKPADMPQGS LAFLEQASAN IPAPLKQT Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits: <ul style="list-style-type: none">• Made to order protein - from design to production - by highly experienced protein experts.• Protein expressed in mammalien cells and purified in one-step affinity chromatography• The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.

Product Details

- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity: > 90 % as determined by Bis-Tris Page, Western Blot

Grade: custom-made

Target Details

Target: MED28

Alternative Name: Med28 ([MED28 Products](#))

Background: Mediator of RNA polymerase II transcription subunit 28 (Mediator complex subunit 28),FUNCTION: Component of the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA polymerase II-dependent genes. Mediator functions as a bridge to convey information from gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and the general transcription factors. May be part of a complex containing NF2/merlin that participates in cellular signaling to the actin cytoskeleton downstream of tyrosine kinase signaling pathways (By similarity). {ECO:0000250}.

Molecular Weight: 19.5 kDa

UniProt: [Q920D3](#)

Pathways: [Stem Cell Maintenance, Regulation of Muscle Cell Differentiation](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a

Application Details

guarantee though.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months
