

### Datasheet for ABIN7560315

# CDC26 Protein (AA 1-85) (Fc Tag)



#### Overview

Quantity:	1 mg
Target:	CDC26
Protein Characteristics:	AA 1-85
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CDC26 protein is labelled with Fc Tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

## **Product Details**

Purpose:	Custom-made recombinat Cdc26 Protein expressed in mammalien cells.
Sequence:	MLRRKPTRLE LKLDDIEEFE SIRKDLEARK KQKEDVEGVG TSDGEGAAGL SSDPKSREQM
	INDRIGYKPQ LKSNNRTSQF GNFEF Sequence without tag. The proposed Purification-Tag is
	based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	<ul> <li>Made to order protein - from design to production - by highly experienced protein experts.</li> <li>Protein expressed in mammalien cells and purified in one-step affinity chromatography</li> <li>The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.</li> <li>State-of-the-art algorithm used for plasmid design (Gene synthesis).</li> </ul>
	This protein is a made-to-order protein and will be made for the first time for your order. Our

	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made
Target Details	
Target:	CDC26
Alternative Name:	Cdc26 (CDC26 Products)
Background:	Anaphase-promoting complex subunit CDC26 (Cell division cycle protein 26 homolog), FUNCTION: Component of the anaphase promoting complex/cyclosome (APC/C), a cell cycle-regulated E3 ubiquitin ligase that controls progression through mitosis and the G1 phase of the cell cycle. The APC/C complex acts by mediating ubiquitination and subsequent degradation of target proteins: it mainly mediates the formation of 'Lys-11'-linked polyubiquitin chains and, to a lower extent, the formation of 'Lys-48'- and 'Lys-63'-linked polyubiquitin chains. May recruit the E2 ubiquitin-conjugating enzymes to the complex (By similarity). {ECO:0000250}.
Molecular Weight:	9.8 kDa
UniProt:	Q99JP4
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

# Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months