

Datasheet for ABIN7560513 NDUFC2 Protein (AA 1-120) (His tag)



Overview

Quantity:	1 mg
Target:	NDUFC2
Protein Characteristics:	AA 1-120
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NDUFC2 protein is labelled with His tag.

Product Details	
Purpose:	Custom-made recombinant Ndufc2 Protein expressed in mammalian cells.
Sequence:	MMNGRPGHEP LKFLPDEARS LPPPKLNDPR LVYMGLLGYC TGLMDNMLRM RPVMRAGLHR
	QLLFVTSFVF AGYFYLKRQN YLYAVKDHDM FGYIKLHPED FPEKEKKTYA EILEPFHPVR
	Sequence without tag. The proposed Purification-Tag is based on experiences with the
	expression system, a different complexity of the protein could make another tag necessary.
	In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	Protein expressed in mammalian cells and purified in one-step affinity chromatography
	The optimized expression system ensures reliability for intracellular, secreted and
	transmembrane proteins.

Froduct Details	
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made
Target Details	
Target:	NDUFC2
Alternative Name:	Ndufc2 (NDUFC2 Products)
Background:	NADH dehydrogenase [ubiquinone] 1 subunit C2 (Complex I-B14.5b) (CI-B14.5b) (NADH-ubiquinone oxidoreductase subunit B14.5b),FUNCTION: Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), that is believed not to be involved in catalysis but required for the complex assembly. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone. {ECO:0000250 UniProtKB:095298}.
Molecular Weight:	14.2 kDa
UniProt:	Q9CQ54
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Handling

Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months