

Datasheet for ABIN7560594

POLR3K Protein (AA 1-108) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	POLR3K
Protein Characteristics:	AA 1-108
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This POLR3K protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Purpose:	Custom-made recombinat Polr3k Protein expressed in mammalien cells.
Sequence:	<p>MLLFCPGCGN GLIVEEGQRC HRFACNTCPY VHNITRKVTN RKYPKLKEVD DVLGGAAAW</p> <p>NVDSTAEPKP KCEHPRAYFM QLQTRSADEP MTFYKCCNA QCGHRWRD Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</p>
Characteristics:	<p>Key Benefits:</p> <ul style="list-style-type: none"> • Made to order protein - from design to production - by highly experienced protein experts. • Protein expressed in mammalien cells and purified in one-step affinity chromatography • The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. • State-of-the-art algorithm used for plasmid design (Gene synthesis).

Product Details

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity: > 90 % as determined by Bis-Tris Page, Western Blot

Grade: custom-made

Target Details

Target: POLR3K

Alternative Name: Polr3k ([POLR3K Products](#))

Background: DNA-directed RNA polymerase III subunit RPC10 (RNA polymerase III subunit C10) (DNA-directed RNA polymerase III subunit K) (RNA polymerase III subunit C11) (RPC11),FUNCTION: Core component of RNA polymerase III (Pol III) which synthesizes small non-coding RNAs using the four ribonucleoside triphosphates as substrates (By similarity). Can mediate Pol I proofreading of the nascent RNA transcript. Anchors into the Pol III active site to constantly monitor transcription fidelity, cleaves mis-incorporated 5'-ribonucleotides and restarts the transcription process. Once Pol III reaches the poly(dT) termination signal, can induce Pol III clamp opening and transcription termination (By similarity). Pol III plays an important role in sensing and limiting infection by intracellular bacteria and DNA viruses. Acts as a nuclear and cytosolic DNA sensor involved in innate immune response. Can sense non-self dsDNA that serves as template for transcription into dsRNA. The non-self RNA polymerase III transcripts, such as Epstein-Barr virus-encoded RNAs (EBERs) induce type I interferon and NF-kappa-B through the RIG-I pathway (By similarity). {ECO:0000250|UniProtKB:Q04307, ECO:0000250|UniProtKB:Q9Y2Y1}.

Molecular Weight: 12.3 kDa

UniProt: [Q9CQZ7](#)

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
--------------------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months