

Datasheet for ABIN7560938 KRT20 Protein (AA 1-431) (His tag)



Overview

Quantity:	1 mg
Target:	KRT20
Protein Characteristics:	AA 1-431
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KRT20 protein is labelled with His tag.

Product Details	
Purpose:	Custom-made recombinant Krt20 Protein expressed in mammalian cells.
Sequence:	MDFSRQSFHR SLSSSSQGPA LSMSGSLYRK GTVQRLGAAP SVYGGAGGHG TRISVSKAVM
	SYGGDLSNGS DLFGGNGKLA MQNLNDRLAN YLEKVRSLEQ SNSRLEAQIK QWYETNAPST
	IRDYSSYYAQ IKELQNQVKD AQVQNAQCVL RIDNAKLAAE DFRLKFETER GMRIAVEADL
	QGLSKVYDNL TLQKTDLEIQ IEELNKDLAL LKKEHQEEVE VLRRQLGNNV NVEVDAAPGL
	NLGEIMNEMR QRYEVLAQKN LQEAKEQFER QSQTLQQQVT VNTEELKGFE VQVTELRRTY
	QNLEIELQSH LSMKESLERN LEDVKARYAS QLAAIQEMLS SLEAQLMQIR SDTERQNQEH
	NILLDIKTRL EQEIATYRRL LEGEDIKTTE YQLSTLEMKD IKKTRKIKTV VEEVVDGKVV
	SSEVKEIEES V Sequence without tag. The proposed Purification-Tag is based on
	experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.

Product Details

Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made
Target Details	
Target:	KRT20
Alternative Name:	Krt20 (KRT20 Products)
Alternative Name: Background:	Krt20 (KRT20 Products) Keratin, type I cytoskeletal 20 (Cytokeratin-20) (CK-20) (Keratin-20) (K20),FUNCTION: Plays a significant role in maintaining keratin filament organization in intestinal epithelia. When phosphorylated, plays a role in the secretion of mucin in the small intestine. {ECO:0000269 PubMed:12857878, ECO:0000269 PubMed:16608857}.
	Keratin, type I cytoskeletal 20 (Cytokeratin-20) (CK-20) (Keratin-20) (K20),FUNCTION: Plays a significant role in maintaining keratin filament organization in intestinal epithelia. When phosphorylated, plays a role in the secretion of mucin in the small intestine.
Background:	Keratin, type I cytoskeletal 20 (Cytokeratin-20) (CK-20) (Keratin-20) (K20),FUNCTION: Plays a significant role in maintaining keratin filament organization in intestinal epithelia. When phosphorylated, plays a role in the secretion of mucin in the small intestine. {ECO:0000269 PubMed:12857878, ECO:0000269 PubMed:16608857}.
Background: Molecular Weight:	Keratin, type I cytoskeletal 20 (Cytokeratin-20) (CK-20) (Keratin-20) (K20),FUNCTION: Plays a significant role in maintaining keratin filament organization in intestinal epithelia. When phosphorylated, plays a role in the secretion of mucin in the small intestine. {ECO:0000269 PubMed:12857878, ECO:0000269 PubMed:16608857}.
Background: Molecular Weight: UniProt:	Keratin, type I cytoskeletal 20 (Cytokeratin-20) (CK-20) (Keratin-20) (K20),FUNCTION: Plays a significant role in maintaining keratin filament organization in intestinal epithelia. When phosphorylated, plays a role in the secretion of mucin in the small intestine. {ECO:0000269 PubMed:12857878, ECO:0000269 PubMed:16608857}.
Background: Molecular Weight: UniProt: Application Details	Keratin, type I cytoskeletal 20 (Cytokeratin-20) (CK-20) (Keratin-20) (K20),FUNCTION: Plays a significant role in maintaining keratin filament organization in intestinal epithelia. When phosphorylated, plays a role in the secretion of mucin in the small intestine. {ECO:0000269 PubMed:12857878, ECO:0000269 PubMed:16608857}. 49.0 kDa Q9D312

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months