

Datasheet for ABIN7561064 **NSMCE1 Protein (AA 1-266) (His tag)**



_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	1 mg
Target:	NSMCE1
Protein Characteristics:	AA 1-266
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NSMCE1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat Nsmce1 Protein expressed in mammalien cells.
Sequence:	MQGSTRRAGA MTDVHRRFLQ LLMTHGVLEE WEVRRLQNHC YQVHDRNATV DKLEDFINNI
	NSVLESLYIE IKKGVTEDDG RPIYALVNLA TTSVSKMATD FAENELDLFR KALELIVDSE
	TGFASSTNIL NLVDQLKGKK MRKKEAEQVL QKFVQSKWLI EKEGEFTLHG RAILEMEQFI
	RESYPDSVKM CNICHGLLIQ GQSCETCGIR MHLPCVAKYF QSIPEPHCPH CNDYWPHDIP
	EVYNPEKERE AGISKSSRKS LRTRQH Sequence without tag. The proposed Purification-Tag is
	based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	 Protein expressed in mammalien cells and purified in one-step affinity chromatography
	 The optimized expression system ensures reliability for intracellular, secreted and

transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	NSMCE1
Alternative Name:	Nsmce1 (NSMCE1 Products)
Background:	Non-structural maintenance of chromosomes element 1 homolog (Non-SMC element 1 homolog) (EC 2.3.2.27),FUNCTION: RING-type zinc finger-containing E3 ubiquitin ligase that assembles with melanoma antigen protein (MAGE) to catalyze the direct transfer of ubiquitin from E2 ubiquitin-conjugating enzyme to a specific substrate. Within MAGE-RING ubiquitin ligase complex, MAGE stimulates and specifies ubiquitin ligase activity likely through recruitment and/or stabilization of the E2 ubiquitin-conjugating enzyme at the E3:substrate complex. Involved in maintenance of genome integrity, DNA damage response and DNA repair. NSMCE3/MAGEG1 and NSMCE1 ubiquitin ligase are components of SMC5-SMC6 complex and may positively regulate homologous recombination-mediated DNA repair. {ECO:0000250 UniProtKB:Q8WV22}.
Molecular Weight:	30.7 kDa
UniProt:	Q9D720
Pathways:	Positive Regulation of Response to DNA Damage Stimulus

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months