

Datasheet for ABIN7561149

GTF2E2 Protein (AA 1-292) (His tag)



Overview

Quantity:	1 mg
Target:	GTF2E2
Protein Characteristics:	AA 1-292
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This GTF2E2 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details	
Purpose:	Custom-made recombinat Gtf2e2 Protein expressed in mammalien cells.
Sequence:	MDPSLLRDRE LFKKRALSTP VVEKRAVPSE SPSSSSSKKK KAKVEHGGSS GSKQNSDHNN
	GSFNLKALSG SSGYKFGVLA KIVNYMKTRH QRGDTHPLTL EEILDETQHL DIGLKQKQWL
	MTEALVNNPK IEVVDGKYAF KPKYNLKDKK ALLRLLDNHD QRGLGGILLE DIEEGLPNSQ
	KAVKALGDQI LFVSRPDKKK ILFFNDKSCQ FSVDEEFQKL WRSVTVDSMD EEKIEEYLKR
	QGISSMQESG PKKVASIQRR KKPASQKKRR FKTHNEHLAG VLKDYSDITP GK Sequence without
	tag. The proposed Purification-Tag is based on experiences with the expression system, a
	different complexity of the protein could make another tag necessary. In case you have a
	special request, please contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

n	
Pu	ritv:
гυ	IIICY.

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	GTF2E2
Alternative Name:	Gtf2e2 (GTF2E2 Products)
Background:	General transcription factor IIE subunit 2 (Transcription initiation factor IIE subunit beta) (TFIIE-beta), FUNCTION: Recruits TFIIH to the initiation complex and stimulates the RNA polymerase II C-terminal domain kinase and DNA-dependent ATPase activities of TFIIH. Both TFIIH and TFIIE are required for promoter clearance by RNA polymerase. {ECO:0000250 UniProtKB:P29084}.
Molecular Weight:	33.0 kDa
UniProt:	Q9D902

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	