

Datasheet for ABIN7561247

PPAP2C Protein (AA 1-276) (His tag)



Overview

Quantity:	1 mg
Target:	PPAP2C
Protein Characteristics:	AA 1-276
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PPAP2C protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant Plpp2 Protein expressed in mammalian cells.
Sequence:	MERRWVFVLL DVLCVLVASL PFIILTLVNA PYKRGFYCGD DSIRYPYRPD TITHGLMAGV
	IITATVILVS LGEAYLVYTD RLYSRSNFNN YVAAIYKVLG TFLFGAAVSQ SLTDLAKYMI
	GRLRPSFLAV CDPDWSQVNC SGYVQLEVCR GSPANVTEAR LSFYSGHSSF GMYCMLFLAL
	YVQARLCWKW ARLLRPTVQF FLVAFAIYVG YTRVSDHKHH WSDVLVGLLQ GALVACLTVR
	YVSDFFKSRP PQPCQEDEVP ERKPSLSLTL TLGDRP Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexit
	of the protein could make another tag necessary. In case you have a special request, please
	contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade:

custom-made

Target Details

Target:	PPAP2C
Alternative Name:	Plpp2 (PPAP2C Products)
Background:	Phospholipid phosphatase 2 (EC 3.1.3) (EC 3.1.3.4) (Lipid phosphate phosphohydrolase 2)
	(PAP2-gamma) (PAP2-G) (Phosphatidate phosphohydrolase type 2c) (Phosphatidic acid
	phosphatase 2c) (PAP-2c) (PAP2c),FUNCTION: Magnesium-independent phospholipid
	phosphatase that catalyzes the dephosphorylation of a variety of glycerolipid and sphingolipid
	phosphate esters including phosphatidate/PA, lysophosphatidate/LPA, sphingosine 1-
	phosphate/S1P and ceramide 1-phosphate/C1P. Has no apparent extracellular phosphatase
	activity and therefore most probably acts intracellularly. Also acts on N-oleoyl ethanolamine
	phosphate/N-(9Z-octadecenoyl)-ethanolamine phosphate, a potential physiological compound.
	Through dephosphorylation of these bioactive lipid mediators produces new bioactive
	compounds and may regulate signal transduction in different cellular processes (By similarity).
	Indirectly regulates, for instance, cell cycle G1/S phase transition through its phospholipid
	phosphatase activity (By similarity). {ECO:0000250 UniProtKB:O43688,

Molecular Weight:

31.2 kDa

ECO:0000250|UniProtKB:Q8K593}.

Target Details UniProt: Q9DAX2 **Application Details** We expect the protein to work for functional studies. As the protein has not been tested for Application Notes: functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only Handling Format: Liquid Buffer: The buffer composition is at the discretion of the manufacturer. Avoid repeated freeze-thaw cycles. Handling Advice: -80 °C Storage:

Storage Comment:

Expiry Date:

Store at -80°C.

12 months