

## Datasheet for ABIN7561373 HCAR2 Protein (AA 1-360) (His tag)



Overview

Quantity:	1 mg
Target:	HCAR2
Protein Characteristics:	AA 1-360
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This HCAR2 protein is labelled with His tag.

## Product Details

Purpose:	Custom-made recombinant Hcar2 Protein expressed in mammalian cells.
Sequence:	MSKSDHFLVI NGKNCCVFRD ENIAKVLPPV LGLEFVFGLL GNGLALWIFC FHLKSWKSSR
	IFLFNLAVAD FLLIICLPFL TDNYVHNWDW RFGGIPCRVM LFMLAMNRQG SIIFLTVVAV
	DRYFRVVHPH HFLNKISNRT AAIISCFLWG LTIGLTVHLL YTNMMTKNGE AYLCSSFSIC
	YNFRWHDAMF LLEFFLPLAI ILFCSGRIIW SLRQRQMDRH AKIKRAINFI MVVAIVFIIC
	FLPSVAVRIR IFWLLYKYNV RNCDIYSSVD LAFFTTLSFT YMNSMLDPVV YYFSSPSFPN
	FFSTCINRCL RKKTLGEPDN NRSTSVELTG DPSTTRSIPG ALMADPSEPG SPPYLASTSR
	Sequence without tag. The proposed Purification-Tag is based on experiences with the
	expression system, a different complexity of the protein could make another tag necessary.
	In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7561373 | 03/29/2025 | Copyright antibodies-online. All rights reserved.

	<ul> <li>Made to order protein - from design to production - by highly experienced protein experts.</li> <li>Protein expressed in mammalian cells and purified in one-step affinity chromatography</li> <li>The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.</li> <li>State-of-the-art algorithm used for plasmid design (Gene synthesis).</li> </ul>
	This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made

## Target Details

HCAR2 Hcar2 (HCAR2 Products)
Hcar2 (HCAR2 Products)
Hydroxycarboxylic acid receptor 2 (G-protein coupled receptor 109) (G-protein coupled receptor 109A) (G-protein coupled receptor HM74) (Niacin receptor 1) (Nicotinic acid receptor) (Protein PUMA-G),FUNCTION: Acts as a high affinity receptor for both nicotinic acid (also known as niacin) and (D)-beta-hydroxybutyrate and mediates increased adiponectin secretion and decreased lipolysis through G(i)-protein-mediated inhibition of adenylyl cyclase. This pharmacological effect requires nicotinic acid doses that are much higher than those provided by a normal diet. Mediates nicotinic acid-induced apoptosis in mature neutrophils. Receptor activation by nicotinic acid results in reduced cAMP levels which may affect activity of cAMP-dependent protein kinase A and phosphorylation of target proteins, leading to neutrophil apoptosis. {ECO:0000269 PubMed:15929991}.
41.4 kDa
Q9EP66

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7561373 | 03/29/2025 | Copyright antibodies-online. All rights reserved.

Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months