

Datasheet for ABIN7561472 ING2 Protein (AA 1-281) (His tag)



_			
()	V/C	rv	٨/

Quantity:	1 mg
Target:	ING2
Protein Characteristics:	AA 1-281
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ING2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details		
Purpose:	Custom-made recombinat Ing2 Protein expressed in mammalien cells.	
Sequence:	MLGQQQQQQL YSSAALLTGE RSRLLSCYVQ DYLECVESLP HDMQRNVSVL RELDNKYQET	
	LKEIDDVYEK YKKEDDSNQK KRLQQHLQRA LINSQELGDE KIQIVTQMLE LVENRARQME	
	LHSQCFQDPA ESERASDKSK MDSSQPERSS RRPRRQRTSE SRDLCHMTNG IDDCDDQPPK	
	EKRSKSAKKK KRSKAKQERE ASPVEFAIDP NEPTYCLCNQ VSYGEMIGCD NEQCPIEWFH	
	FSCVSLTYKP KGKWYCPKCR GDNEKTMDKS TEKTKKERRA R Sequence without tag. The	
	proposed Purification-Tag is based on experiences with the expression system, a different	
	complexity of the protein could make another tag necessary. In case you have a special	
	request, please contact us.	
Characteristics:	Key Benefits:	
	Made to order protein - from design to production - by highly experienced protein experts.	

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	ING2	
Alternative Name:	Ing2 (ING2 Products)	
Background:	Inhibitor of growth protein 2 (Inhibitor of growth 1-like protein) (p33ING2),FUNCTION: Seems to be involved in p53/TP53 activation and p53/TP53-dependent apoptotic pathways, probably by enhancing acetylation of p53/TP53. Component of a mSin3A-like corepressor complex, which is probably involved in deacetylation of nucleosomal histones. ING2 activity seems to be modulated by binding to phosphoinositides (PtdInsPs) (By similarity). {EC0:0000250}.	
Molecular Weight:	33.0 kDa	
UniProt:	Q9ESK4	
Pathways:	Chromatin Binding, Autophagy, Negative Regulation of intrinsic apoptotic Signaling	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a	
	guarantee though.	

Application Details

Storage Comment:

Expiry Date:

For Research Use only	
Liquid	
The buffer composition is at the discretion of the manufacturer.	
Avoid repeated freeze-thaw cycles.	
-80 °C	

Store at -80°C.

12 months