

# Datasheet for ABIN7561721 ACSL4 Protein (AA 1-711) (His tag)



()	ve	rvi	6	W
$\sim$	v C	1 V I	$\sim$	v v

Quantity:	1 mg
Target:	ACSL4
Protein Characteristics:	AA 1-711
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ACSL4 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Purpose:	Custom-made recombinat Acsl4 Protein expressed in mammalien cells.
Sequence:	MNLKLNVLTI ILLPVHLLIT IYSALIFIPW YFLTNAKKKN AMAKRIKAKP TSDKPGSPYR
	SVTHFDSLAV IDIPGADTLD KLFDHAVAKF GKKDSLGTRE ILSEENEMQP NGKVFKKLIL
	GNYKWINYLE VNCRVNNFGS GLTALGLKPK NTIAIFCETR AEWMIAAQTC FKYNFPLVTL
	YATLGREAVV HGLNESEASY LITSVELLES KLKAALVDIN CVKHIIYVDN KTINRAEYPE
	GLEIHSMQSV EELGAKPENL SVPPSRPTPS DMAIVMYTSG STGRPKGVMM HHSNLIAGMT
	GQCERIPGLG PKDTYIGYLP LAHVLELTAE ISCFTYGCRI GYSSPLTLSD QSSKIKKGSK
	GDCTVLKPTL MAAVPEIMDR IYKNVMSKVQ EMNYVQKTLF KIGYDYKLEQ IKKGYDAPLC
	NLILFKKVKA LLGGNVRMML SGGAPLSPQT HRFMNVCFCC PIGQGYGLTE SCGAGTVTEV
	TDYTTGRVGA PLICCEIKLK DWQEGGYTVH DKPNPRGEIV IGGQNISMGY FKNEEKTAED
	YCVDENGQRW FCTGDIGEFH PDGCLQIIDR KKDLVKLQAG EYVSLGKVEA ALKNCPLIDN
	ICAFAKSDQS YVISFVVPNQ KKLTLLAQQK GVEGSWVDIC NNPAMEAEIL KEIREAANAM

KLERFEIPIK VRLSPEPWTP ETGLVTDAFK LKRKELKNHY LKDIERMYGG K Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

Key Benefits:

- Made to order protein from design to production by highly experienced protein experts.
- Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

## Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

### Grade:

Target:

custom-made

ACSI 4

## **Target Details**

Alternative Name:  Acsl4 (ACSL4 Products)  Long-chain-fatty-acidCoA ligase 4 (EC 6.2.1.3) (ArachidonateCoA ligase) (EC 6.2.1.15) (Long-chain acyl-CoA synthetase 4) (LACS 4) (mACS4),FUNCTION: Catalyzes the conversion of long-chain fatty acids to their active form acyl-CoA for both synthesis of cellular lipids, and degradation via beta-oxidation. Preferentially activates arachidonate and eicosapentaenoate as substrates. Preferentially activates 8,9-EET > 14,15-EET > 5,6-EET > 11,12-EET. Modulates glucose-stimulated insulin secretion by regulating the levels of unesterified EETs (By similarity). Modulates prostaglandin E2 secretion (By similarity). {ECO:0000250 UniProtKB:060488}.  Molecular Weight:  79.1 kDa	rarget.	ACOLT
chain acyl-CoA synthetase 4) (LACS 4) (mACS4),FUNCTION: Catalyzes the conversion of long-chain fatty acids to their active form acyl-CoA for both synthesis of cellular lipids, and degradation via beta-oxidation. Preferentially activates arachidonate and eicosapentaenoate as substrates. Preferentially activates 8,9-EET > 14,15-EET > 5,6-EET > 11,12-EET. Modulates glucose-stimulated insulin secretion by regulating the levels of unesterified EETs (By similarity). Modulates prostaglandin E2 secretion (By similarity). {ECO:0000250 UniProtKB:O35547, ECO:0000250 UniProtKB:O60488}.	Alternative Name:	Acsl4 (ACSL4 Products)
chain fatty acids to their active form acyl-CoA for both synthesis of cellular lipids, and degradation via beta-oxidation. Preferentially activates arachidonate and eicosapentaenoate as substrates. Preferentially activates 8,9-EET > 14,15-EET > 5,6-EET > 11,12-EET. Modulates glucose-stimulated insulin secretion by regulating the levels of unesterified EETs (By similarity). Modulates prostaglandin E2 secretion (By similarity). {ECO:0000250 UniProtKB:O35547, ECO:0000250 UniProtKB:O60488}.	Background:	
degradation via beta-oxidation. Preferentially activates arachidonate and eicosapentaenoate as substrates. Preferentially activates 8,9-EET > 14,15-EET > 5,6-EET > 11,12-EET. Modulates glucose-stimulated insulin secretion by regulating the levels of unesterified EETs (By similarity). Modulates prostaglandin E2 secretion (By similarity). {ECO:0000250 UniProtKB:O35547, ECO:0000250 UniProtKB:O60488}.		chain acyl-CoA synthetase 4) (LACS 4) (mACS4), FUNCTION: Catalyzes the conversion of long-
substrates. Preferentially activates 8,9-EET > 14,15-EET > 5,6-EET > 11,12-EET. Modulates glucose-stimulated insulin secretion by regulating the levels of unesterified EETs (By similarity). Modulates prostaglandin E2 secretion (By similarity). {ECO:0000250 UniProtKB:O35547, ECO:0000250 UniProtKB:O60488}.		chain fatty acids to their active form acyl-CoA for both synthesis of cellular lipids, and
glucose-stimulated insulin secretion by regulating the levels of unesterified EETs (By similarity).  Modulates prostaglandin E2 secretion (By similarity). {ECO:0000250 UniProtKB:O35547,  ECO:0000250 UniProtKB:O60488}.		degradation via beta-oxidation. Preferentially activates arachidonate and eicosapentaenoate as
Modulates prostaglandin E2 secretion (By similarity). {ECO:0000250 UniProtKB:O35547, ECO:0000250 UniProtKB:O60488}.		substrates. Preferentially activates 8,9-EET > 14,15-EET > 5,6-EET > 11,12-EET. Modulates
ECO:0000250 UniProtKB:060488}.		glucose-stimulated insulin secretion by regulating the levels of unesterified EETs (By similarity).
		Modulates prostaglandin E2 secretion (By similarity). {ECO:0000250 UniProtKB:035547,
Molecular Weight: 79.1 kDa		ECO:0000250 UniProtKB:060488}.
	Molecular Weight:	79.1 kDa

# **Target Details** UniProt: **Application Details**

Q9QUJ7

In addition to the applications listed above we expect the protein to work for functional studies Application Notes: as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

# Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months