

Datasheet for ABIN7561859  
**PKD2L1 Protein (AA 1-760) (His tag)**



[Go to Product page](#)

## Overview

Quantity:	1 mg
Target:	PKD2L1
Protein Characteristics:	AA 1-760
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PKD2L1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

## Product Details

Purpose:	Custom-made recombinat Pkd2l1 Protein expressed in mammalian cells.
Sequence:	<p>MNSMESPKNQ ELQTLGNRAW DNPAYSDPPS PNRTLRICTV SSVLPETQP KKPEVRCQEK  TQRTLVSICC LHICRSIRGL WGTTLTENTA ENRELYVKTT LRELVVYIVF LVDICLLTYG  MTSSSAYYYT KVMSEFLHT PSDSGVSFQT ISSMSDFWDF AQGPLLDSLY WTKWYNNQSL  GRGSHSFIYY ENLLLGAPRL RQLRVRNDSC VVHEDFREDI LNCYDVYSPD KEDQLPFGPQ  NGTAWTYHSQ NELGGSSHWG RLTSYSGGGY YLDLPGSRQA SAEALQGLQE GLWLDGRTRV  VFIDFSVYNA NINLFCILRL VVEFPATGGT IPSWQIRTVK LIRYVNNWDF FIVGCEVWFC  VFIFYVVVEE ILEIHLHLRL YLSSVWNILD LVVILLSIVA VGFHIFRTLE VNRLMGKLLQ  QPDTYADFEF LAFWQTQYNN MNAVNLFFAW IKIFYISFN KTMTQLSSTL ARCAKDILGF  AIMFFIVFFA YAQLGYLLFG TQVENFSTFV KCIFTQFRII LGDFDYNAID NANRILGPVY  FVTYVFFVFF VLLNMFLAII NDTYSEVKEE LAGQKDQLQL SDFLKQSYNK TLLRLRLRKE  RVSDVQKVLK GGEPEIQFED FTSTLRELGH EEHEITAAFT RFDQDGDHIL DEEEQEQMRQ</p>

## Product Details

---

GLEEERVTLN AEIENLGRSV GHSPPGELGA EAARGQSWVS GEEFDMLTRR VLQLQCVLEG  
VVSQIDAVGS KLKMLERKGE LAPSPGMGEP AVWENLYNPS **Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

### Characteristics:

#### Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

---

### Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

---

### Grade:

custom-made

## Target Details

---

### Target:

PKD2L1

---

### Alternative Name:

Pkd2l1 ([PKD2L1 Products](#))

---

### Background:

Polycystin-2-like protein 1 (Polycystin-2L1) (Polycystic kidney disease 2-like 1 protein) (Polycystin-2 homolog),FUNCTION: Pore-forming subunit of a heteromeric, non-selective cation channel that is permeable to Ca(2+) (PubMed:16891422, PubMed:15548533, PubMed:19464260, PubMed:20538909, PubMed:21185261, PubMed:22420714, PubMed:25820328, PubMed:28904867, PubMed:29567962). Pore-forming subunit of a calcium-permeant ion channel formed by PKD1L2 and PKD1L1 in primary cilia, where it controls cilium calcium concentration, but does not affect cytoplasmic calcium concentration (PubMed:24336288, PubMed:24336289). The channel formed by PKD1L2 and PKD1L1 in

## Target Details

---

primary cilia regulates sonic hedgehog/SHH signaling and GLI2 transcription (PubMed:24336288). Pore-forming subunit of a channel formed by PKD1L2 and PKD1L3 that contributes to sour taste perception in gustatory cells (PubMed:16891422, PubMed:16929298, PubMed:20406802, PubMed:21098668, PubMed:21625513). The heteromeric channel formed by PKD1L2 and PKD1L3 is activated by low pH, but opens only when the extracellular pH rises again (PubMed:18535624, PubMed:19464260, PubMed:20538909, PubMed:20406802, PubMed:22420714, PubMed:28904867, PubMed:29567962). May play a role in the perception of carbonation taste (PubMed:19833970). May play a role in the sensory perception of water, via a mechanism that activates the channel in response to dilution of salivary bicarbonate and changes in salivary pH (PubMed:28553944). {ECO:0000269|PubMed:15548533, ECO:0000269|PubMed:16891422, ECO:0000269|PubMed:16929298, ECO:0000269|PubMed:18535624, ECO:0000269|PubMed:19464260, ECO:0000269|PubMed:19833970, ECO:0000269|PubMed:20406802, ECO:0000269|PubMed:20538909, ECO:0000269|PubMed:21098668, ECO:0000269|PubMed:21185261, ECO:0000269|PubMed:21625513, ECO:0000269|PubMed:22420714, ECO:0000269|PubMed:24336288, ECO:0000269|PubMed:24336289, ECO:0000269|PubMed:25820328, ECO:0000269|PubMed:28553944, ECO:0000269|PubMed:28904867, ECO:0000269|PubMed:29567962}.

---

Molecular Weight: 87.2 kDa

---

UniProt: [A2A259](#)

## Application Details

---

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

---

Buffer: The buffer composition is at the discretion of the manufacturer.

---

Handling Advice: Avoid repeated freeze-thaw cycles.

---

Storage: -80 °C

---

## Handling

---

Storage Comment: Store at -80°C.

---

Expiry Date: 12 months