

Datasheet for ABIN7562209

**DIAPH1 Protein (AA 1-1255) (His tag)**[Go to Product page](#)

## Overview

Quantity:	1 mg
Target:	DIAPH1
Protein Characteristics:	AA 1-1255
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DIAPH1 protein is labelled with His tag.

## Product Details

Purpose:	Custom-made recombinant Diaph1 Protein expressed in mammalian cells.
Sequence:	MEPSGGGLGP GRGTRDKKKG RSPDELPATG GDGGKHKKFL ERFTSMRIKK EKEKPNSAHR NSSASYGDDP TAQSLQDISD EQVLVLFEQM LVDMNLNEEK QQPLREKDIV IKREMVSYQL HTSKAGMNQK ESSRSAMMYI QELRSGLRDM HLLSCLESLR VSLNNNPVSW VQTFGAEGLA SLLDILKRLH DEKEETSGNY DSRNQHEIIR CLKAFMNNKF GIKTMLETEE GILLVLRAMD PAVPNMMIDA AKLLSALCIL PQPEDMNERV LEAMTERAEM DEVERFQPLL DGLKSGTSLA LKVGCLQLIN ALITPAEELD FRVHIRSELM RLGLHQVLQE LREIENEDMK VQLCVFDEQG DEDFDLKGR LDDIRMEDD FGEVFQIILN TVKDSKAEPH FLSILQHLLL VRNDYEARPQ YYKLIEECVS QIVLHKNQTD PDFKCRHLQI DIERLVDQMI DKTKVEKSEA KATELEKKLD SELTARHELQ VEMKKMENDF EQKLQDLQGE KDALDSEKQQ ITAQKQDLEA EVSKLTGEVA KLSKELEDAK NEMASLSAVV VAPSVSSSAA VPPAPPLPGD SGTVIPPPPP PPPLPGGVVP PSPPLPPGTC IPPPPPLPGG ACIPPPQQLP GSAAIPPPPP LPGVASIPPP PPLPGATAIP PPPPPLGATA IPPPPPLPGG TGIPPPPPPL PGVGVPPPP PLPGGGLPP PPPPFPGAPG

## Product Details

---

IPPPPPGMGV PPPPPFGFV PAAPVLPFGL TPKKVYKPEV QLRRPNWSKF VAEDLSQDCF  
WTKVKEDRFE NNELFAKLTL AFSAQTKTSK AKKDQEGGEE KKSQVQKKVK ELKVLDSKTA  
QNLSIFLGSF RMPYQEIKNV ILEVNEAVLT ESMIQNLIKQ MPEPEQLKML SELKEEYDDL  
AESEQFGVVM GTVPRLRPRL NAILFKLQFS EQVENIKPEI VSVTAACEEL RKSENFSSLL  
ELTLLVGNM NAGSRNAGAF GFNISFLCKL RDTKSADQKM TLLHFLAELC ENDHPEVLKF  
PDELAHVEKA SRVSAENLQK SLDQMKKQIA DVERDVQNFP AATDEKDKFV EKMTSFVKDA  
QEYQNKLRMM HSNMETLYKE LGDYFVFDPK KLSVEEFFMD LHNFRNMFLQ AVKENQKRRE  
TEEKMRRAKL AKEKAEKERL EKQQKREQLI DMNAEGDETG VMDSLLEALQ SGAAFRRKRG  
PRQVNRKAGC AVTSLLASEL TKDDAMAPGP VKVPPKSEGV PTILEEAKEL VGRAS **Sequence  
without tag. The proposed Purification-Tag is based on experiences with the expression  
system, a different complexity of the protein could make another tag necessary. In case you  
have a special request, please contact us.**

---

Specificity: If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.

---

Characteristics: Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

---

Purity: > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

---

Grade: custom-made

## Target Details

---

Target: DIAPH1

---

## Target Details

---

Alternative Name: [Diaph1 \(DIAPH1 Products\)](#)

---

Background: Protein diaphanous homolog 1 (Diaphanous-related formin-1) (DRF1) (p140mDIA) (mDIA1),FUNCTION: Actin nucleation and elongation factor required for the assembly of F-actin structures, such as actin cables and stress fibers (PubMed:10678165, PubMed:15044801, PubMed:18572016, PubMed:23558171). Binds to the barbed end of the actin filament and slows down actin polymerization and depolymerization (PubMed:10678165, PubMed:15044801, PubMed:18572016). Required for cytokinesis, and transcriptional activation of the serum response factor (PubMed:10678165, PubMed:15044801, PubMed:18572016). DFR proteins couple Rho and Src tyrosine kinase during signaling and the regulation of actin dynamics (PubMed:10678165, PubMed:15044801, PubMed:18572016). Functions as a scaffold protein for MAPRE1 and APC to stabilize microtubules and promote cell migration (PubMed:15311282). Has neurite outgrowth promoting activity (PubMed:10678165, PubMed:15044801, PubMed:18572016). Acts in a Rho-dependent manner to recruit PFY1 to the membrane (PubMed:9214622). The MEMO1-RHOA-DIAPH1 signaling pathway plays an important role in ERBB2-dependent stabilization of microtubules at the cell cortex (By similarity). It controls the localization of APC and CLASP2 to the cell membrane, via the regulation of GSK3B activity (By similarity). In turn, membrane-bound APC allows the localization of the MACF1 to the cell membrane, which is required for microtubule capture and stabilization (By similarity). Plays a role in the regulation of cell morphology and cytoskeletal organization (By similarity). Required in the control of cell shape (By similarity). Also acts as an actin nucleation and elongation factor in the nucleus by promoting nuclear actin polymerization inside the nucleus to drive serum-dependent SRF-MRTFA activity (PubMed:23558171). {ECO:0000250|UniProtKB:O60610, ECO:0000269|PubMed:10678165, ECO:0000269|PubMed:15044801, ECO:0000269|PubMed:15311282, ECO:0000269|PubMed:18572016, ECO:0000269|PubMed:23558171, ECO:0000269|PubMed:9214622}.

---

Molecular Weight: 139.3 kDa

---

UniProt: [O08808](#)

---

Pathways: [Sensory Perception of Sound](#)

---

## Application Details

---

Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

---

Restrictions: For Research Use only

---

## Handling

---

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months