

Datasheet for ABIN7562275 KCNS1 Protein (AA 1-497) (His tag)



Go to Product page

Overviev	

Quantity:	1 mg
Target:	KCNS1
Protein Characteristics:	AA 1-497
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KCNS1 protein is labelled with His tag.

Product Details	
Purpose:	Custom-made recombinant Kcns1 Protein expressed in mammalian cells.
Sequence:	MVSEFPGPGS RVPWRPRDEA LRVNVGGVRR LLSARALARF PGTRLGRLQA AASEEQARRL
	CDDYDAAAHE FYFDRHPGFF LGLLHFYRTG HLHVLDELCV FAFGQEADYW GLGENALATC
	CRARYLERRV ARPRAWDEDS DAPSSVDPCP DEISDVQREL ARYGAARCGR LRRRLWLTME
	NPGYSLPSKL FSCVSIGVVL ASIAAMCIHS LPEYQAREAA AAVAAVAAGR SAEEVRDDPV
	LRRLEYFCIA WFSFEVSSRL LLAPSTRNFF CHPLNLIDIV SVLPFYLTLL AGAALGDQRG
	ASGEELGDLG KVVQVFRLMR IFRVLKLARH STGLRSLGAT LKHSYREVGI LLLYLAVGVS
	VFSGVAYTAE EENEGFHTIP ACWWWGTVSM TTVGYGDVVP ETVGGKLAAS GCILGGILVV
	ALPITIIFNK FSHFYRRQKA LEAAVRSSGQ REFEDLLSSV DGVSDVSLET SRDTSQEGRS
	TDLETQAPRE PAKSHSY Sequence without tag. The proposed Purification-Tag is based on
	experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different

Product Details

	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	Protein expressed in mammalian cells and purified in one-step affinity chromatography
	The optimized expression system ensures reliability for intracellular, secreted and
	transmembrane proteins.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein
	fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC
Grade:	custom-made
Target Details	
Target:	KCNS1
Alternative Name:	
Alternative Name.	Kcns1 (KCNS1 Products)
	Kcns1 (KCNS1 Products) Potassium voltage-gated channel subfamily S member 1 (Delayed-rectifier K(+) channel alpha
	Potassium voltage-gated channel subfamily S member 1 (Delayed-rectifier K(+) channel alpha subunit 1) (Voltage-gated potassium channel subunit Kv9.1),FUNCTION: Potassium channel
	Potassium voltage-gated channel subfamily S member 1 (Delayed-rectifier K(+) channel alpha subunit 1) (Voltage-gated potassium channel subunit Kv9.1),FUNCTION: Potassium channel
	Potassium voltage-gated channel subfamily S member 1 (Delayed-rectifier K(+) channel alpha subunit 1) (Voltage-gated potassium channel subunit Kv9.1),FUNCTION: Potassium channel subunit that does not form functional channels by itself. Can form functional heterotetrameric
	Potassium voltage-gated channel subfamily S member 1 (Delayed-rectifier K(+) channel alpha subunit 1) (Voltage-gated potassium channel subunit Kv9.1),FUNCTION: Potassium channel subunit that does not form functional channels by itself. Can form functional heterotetrameric channels with KCNB1 and KCNB2, modulates the delayed rectifier voltage-gated potassium
Background:	Potassium voltage-gated channel subfamily S member 1 (Delayed-rectifier K(+) channel alpha subunit 1) (Voltage-gated potassium channel subunit Kv9.1),FUNCTION: Potassium channel subunit that does not form functional channels by itself. Can form functional heterotetrameric channels with KCNB1 and KCNB2, modulates the delayed rectifier voltage-gated potassium channel activation and deactivation rates of KCNB1 and KCNB2 (PubMed:9305895).
Molecular Weight: UniProt:	Potassium voltage-gated channel subfamily S member 1 (Delayed-rectifier K(+) channel alpha subunit 1) (Voltage-gated potassium channel subunit Kv9.1),FUNCTION: Potassium channel subunit that does not form functional channels by itself. Can form functional heterotetrameric channels with KCNB1 and KCNB2, modulates the delayed rectifier voltage-gated potassium channel activation and deactivation rates of KCNB1 and KCNB2 (PubMed:9305895). (ECO:0000269 PubMed:9305895).
Background: Molecular Weight:	Potassium voltage-gated channel subfamily S member 1 (Delayed-rectifier K(+) channel alpha subunit 1) (Voltage-gated potassium channel subunit Kv9.1),FUNCTION: Potassium channel subunit that does not form functional channels by itself. Can form functional heterotetrameric channels with KCNB1 and KCNB2, modulates the delayed rectifier voltage-gated potassium channel activation and deactivation rates of KCNB1 and KCNB2 (PubMed:9305895). {ECO:0000269 PubMed:9305895}.

Application Details

	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months