

Datasheet for ABIN7562316 **BOK Protein (AA 1-213) (His tag)**



()	ve	r\/i	Δ	۱۸/
\circ	V C	1 V		v v

Quantity:	1 mg
Target:	BOK
Protein Characteristics:	AA 1-213
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This BOK protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat Bok Protein expressed in mammalien cells.
Sequence:	MEVLRRSSVF AAEIMDAFDR SPTDKELVAQ AKALGREYVH ARLLRAGLSW SAPERASPAP
	GGRLAEVCTV LLRLGDELEQ IRPSVYRNVA RQLHIPLQSE PVVTDAFLAV AGHIFSAGIT
	WGKVVSLYSV AAGLAVDCVR QAQPAMVHAL VDCLGEFVRK TLATWLRRRG GWTDVLKCVV
	STDPGFRSHW LVATLCSFGR FLKAAFFLLL PER Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please
	contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	Protein expressed in mammalien cells and purified in one-step affinity chromatography

· The optimized expression system ensures reliability for intracellular, secreted and

transmembrane proteins.

· State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

BOK

Alternative Name:

Bok (BOK Products)

Background:

Bcl-2-related ovarian killer protein (Apoptosis activator Mtd) (Protein matador), FUNCTION: Apoptosis regulator that functions through different apoptotic signaling pathways (PubMed:23429263, PubMed:26015568, PubMed:26949185, PubMed:27098698, PubMed:9535847). Plays a roles as pro-apoptotic protein that positively regulates intrinsic apoptotic process in a BAX- and BAK1-dependent manner or in a BAX- and BAK1-independent manner (PubMed:23429263, PubMed:26015568, PubMed:26949185). In response to endoplasmic reticulum stress promotes mitochondrial apoptosis through downstream BAX/BAK1 activation and positive regulation of PERK-mediated unfolded protein response (PubMed:26015568). Activates apoptosis independently of heterodimerization with survivalpromoting BCL2 and BCL2L1 through induction of mitochondrial outer membrane permeabilization, in a BAX- and BAK1-independent manner, in response to inhibition of ERADproteasome degradation system, resulting in cytochrome c release (PubMed:9535847, PubMed:26949185). In response to DNA damage, mediates intrinsic apoptotic process in a TP53-dependent manner. Plays a role in granulosa cell apoptosis by CASP3 activation (By similarity). Plays a roles as anti-apoptotic protein during neuronal apoptotic process, by negatively regulating poly ADP-ribose polymerase-dependent cell death through regulation of neuronal calcium homeostasis and mitochondrial bioenergetics in response to NMDA

	excitation (PubMed:27098698). In addition to its role in apoptosis, may regulate trophoblast	
	proliferation during the early stages of placental development, by acting on G1/S transition	
	through regulation of CCNE1 expression. May also play a role as an inducer of autophagy by	
	disrupting interaction between MCL1 and BECN1 (By similarity).	
	{ECO:0000250 UniProtKB:Q9UMX3, ECO:0000269 PubMed:23429263,	
	ECO:0000269 PubMed:26015568, ECO:0000269 PubMed:26949185,	
	ECO:0000269 PubMed:27098698, ECO:0000269 PubMed:9535847}.	
Molecular Weight:	23.5 kDa	
UniProt:	035425	

Application Details

Pathways:

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a	
	guarantee though.	

Positive Regulation of Endopeptidase Activity

Restrictions: For Research Use only

Handling

Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	