

## Datasheet for ABIN7562334

# SLC1A6 Protein (AA 1-561) (His tag)



Go to Product page

#### Overview

| Quantity:                     | 1 mg  |
|-------------------------------|---|
| Target:                       | SLC1A6  |
| Protein Characteristics:      | AA 1-561                                      |
| Origin:                       | Mouse   |
| Source:                       | HEK-293 Cells                                 |
| Protein Type:                 | Recombinant                                   |
| Purification tag / Conjugate: | This SLC1A6 protein is labelled with His tag. |

#### **Product Details**

| Troduct Details |   |
|-----------------|---|
| Purpose:        | Custom-made recombinant Slc1a6 Protein expressed in mammalian cells.                    |
| Sequence:       | MSSHGNSLFL RESGAGGGCL QGLQDSLQQR ALRTRLRLQT MTREHVRRFL RRNAFILLTV                       |
|                 | SAVIIGVSLA FALRPYQLSY RQIKYFSFPG ELLMRMLQML VLPLIVSSLV TGMASLDNKA                       |
|                 | TGRMGMRAAV YYMVTTVIAV FIGILMVTII HPGKGSKEGL HREGRIETVP TADAFMDLVR                       |
|                 | NMFPPNLVEA CFKQFKTQYS TRVVTRTIVR TDNGSELGAS MSPTSSVENE TSILENVTRA                       |
|                 | LGTLQEVISF EETVPVPGSA NGINALGLVV FSVAFGLVIG GMKHKGRVLR DFFDSLNEAI                       |
|                 | MRLVGIIIWY APVGILFLIA GKILEMEDMA VLGGQLGMYT LTVIVGLFLH AGGVLPLIYF                       |
|                 | LVTHRNPFPF IGGMLQALIT AMGTSSSSAT LPITFRCLEE GLGVDRRITR FVLPVGATVN                       |
|                 | MDGTALYEAL AAIFIAQVNN YELNLGQITT ISITATAASV GAAGIPQAGL VTMVIVLTSV                       |
|                 | GLPTEDITLI IAVDWFLDRL RTMTNVLGDS IGAAVIEHLS QRELELQEAE LTLPSLGKPY                       |
|                 | KSLMAQEKGA SRGRGGNESV M Sequence without tag. The proposed Purification-Tag is          |
|                 | based on experiences with the expression system, a different complexity of the protein  |
|                 | could make another tag necessary. In case you have a special request, please contact us |

#### **Product Details**

Molecular Weight:

60.8 kDa

| Specificity:      | If you are looking for a specific domain and are interested in a partial protein or a different  |
|-------------------|--|
| •                 | isoform, please contact us regarding an individual offer.  |
| Characteristics:  | Key Benefits:  |
|                   | <ul> <li>Made to order protein - from design to production - by highly experienced protein experts.</li> <li>Protein expressed in mammalian cells and purified in one-step affinity chromatography</li> <li>The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.</li> </ul>   |
|                   | State-of-the-art algorithm used for plasmid design (Gene synthesis).   |
|                   | This protein is a made-to-order protein and will be made for the first time for your order. Our  |
|                   | experts in the lab try to ensure that you receive soluble protein.   |
|                   | If you are not interested in a full length protein, please contact us for individual protein fragments.  |
|                   | The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.   |
| Purity:           | > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)  |
| Grade:            | custom-made  |
| Target Details    |  |
| Target:           | SLC1A6   |
| Alternative Name: | Slc1a6 (SLC1A6 Products)   |
| Background:       | Excitatory amino acid transporter 4 (High-affinity neuronal glutamate transporter) (Sodium-dependent glutamate/aspartate transporter) (Solute carrier family 1 member 6),FUNCTION: Sodium-dependent, high-affinity amino acid transporter that mediates the uptake of L-glutamate and also L-aspartate and D-aspartate (PubMed:9379843). Functions as a symporter that transports one amino acid molecule together with two or three Na(+) ions and one proton, in parallel with the counter-transport of one K(+) ion. Mediates Cl(-) flux that is not coupled to amino acid transport, this avoids the accumulation of negative charges due to aspartate and Na(+) symport (By similarity). Plays a redundant role in the rapid removal of released glutamate from the synaptic cleft, which is essential for terminating the postsynaptic action of glutamate |

(Probable). {ECO:0000250|UniProtKB:035921, ECO:0000269|PubMed:9379843, ECO:0000305}.

### **Target Details**

| UniProt:  | 035544                      |
|-----------|-----------------------------|
| Pathways: | Dicarboxylic Acid Transport |

### **Application Details**

| Application Notes: | We expect the protein to work for functional studies. As the protein has not been tested for |
|--------------------|--|
|                    | functional studies yet we cannot offer a guarantee though.                                   |
| Restrictions:      | For Research Use only  |

### Handling

| Format:          | Liquid   |
|------------------|--|
| Buffer:          | The buffer composition is at the discretion of the manufacturer. |
| Handling Advice: | Avoid repeated freeze-thaw cycles.                               |
| Storage:         | -80 °C   |
| Storage Comment: | Store at -80°C.  |
| Expiry Date:     | 12 months  |