

Datasheet for ABIN7562336

PSMD14 Protein (AA 1-310) (His tag)



Go to Product page

Overviev	

Quantity:	1 mg
Target:	PSMD14
Protein Characteristics:	AA 1-310
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PSMD14 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat Psmd14 Protein expressed in mammalien cells.
Sequence:	MDRLLRLGGG MPGLGQGPPT DAPAVDTAEQ VYISSLALLK MLKHGRAGVP MEVMGLMLGE
	FVDDYTVRVI DVFAMPQSGT GVSVEAVDPV FQAKMLDMLK QTGRPEMVVG WYHSHPGFGC
	WLSGVDINTQ QSFEALSERA VAVVVDPIQS VKGKVVIDAF RLINANMMVL GHEPRQTTSN
	LGHLNKPSIQ ALIHGLNRHY YSITINYRKN ELEQKMLLNL HKKSWMEGLT LQDYSEHCKH
	NESVVKEMLE LAKNYNKAVE EEDKMTPEQL AIKNVGKQDP KRHLEEHVDV LMTSNIVQCL
	AAMLDTVVFK Sequence without tag. The proposed Purification-Tag is based on
	experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

Target:

custom-made

PSMD14

Target Details

Molecular Weight:	34.6 kDa
	{ECO:0000250 UniProtKB:000487}.
	involved in homologous recombination repair by promoting RAD51 loading.
	retention of JMJD2A/KDM4A on chromatin and restricting TP53BP1 accumulation. Also
	homologous end joining (NHEJ) by cleaving 'Lys-63'-linked polyubiquitin, thereby promoting
	complex. Plays a role in response to double-strand breaks (DSBs): acts as a regulator of non-
	metalloprotease that specifically cleaves 'Lys-63'-linked polyubiquitin chains within the
	including cell cycle progression, apoptosis, or DNA damage repair. The PSMD14 subunit is a
	no longer required. Therefore, the proteasome participates in numerous cellular processes,
	proteins, which could impair cellular functions, and by removing proteins whose functions are
	plays a key role in the maintenance of protein homeostasis by removing misfolded or damage
	complex involved in the ATP-dependent degradation of ubiquitinated proteins. This complex
	subunit RPN11) (MAD1),FUNCTION: Component of the 26S proteasome, a multiprotein
Background:	26S proteasome non-ATPase regulatory subunit 14 (EC 3.4.19) (26S proteasome regulatory
Alternative Name:	Psmd14 (PSMD14 Products)
- Target.	

Target Details

UniProt:	035593
Pathways:	Mitotic G1-G1/S Phases, DNA Replication, M Phase, Positive Regulation of Endopeptidase Activity, Synthesis of DNA, Ubiquitin Proteasome Pathway
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months