

Datasheet for ABIN7562357

ITGB1BP1 Protein (AA 1-200) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	ITGB1BP1
Protein Characteristics:	AA 1-200
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ITGB1BP1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat Itgb1bp1 Protein expressed in mammalien cells.
Sequence:	<p>MFRKGKKRHS SSSSQSSEIS TSKSV DSSL GGLSR SSTVA SLDTDSTKSS GQSNSNLDT C</p> <p>AEFRIKYVGA IEKLAVSEGK SLEGPLDLIN YIDVAQQDGK LPFVPLEEEF ILGVSKYGIK</p> <p>VSTTDQHGVL HRHALYLIIR MVCYDDGLGA GKSL LALKTT DASNEEYSLW VYQCNSLEQA</p> <p>QAICKVLSTA FDSVLTSDKS Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</p>
Characteristics:	<p>Key Benefits:</p> <ul style="list-style-type: none"> • Made to order protein - from design to production - by highly experienced protein experts. • Protein expressed in mammalien cells and purified in one-step affinity chromatography • The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.

Product Details

- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
---------	---

Grade:	custom-made
--------	-------------

Target Details

Target:	ITGB1BP1
---------	----------

Alternative Name:	Itgb1bp1 (ITGB1BP1 Products)
-------------------	--

Background:	<p>Integrin beta-1-binding protein 1 (Bodenin),FUNCTION: Key regulator of the integrin-mediated cell-matrix interaction signaling by binding to the ITGB1 cytoplasmic tail and preventing the activation of integrin alpha-5/beta-1 (heterodimer of ITGA5 and ITGB1) by talin or FERMT1. Plays a role in cell proliferation, differentiation, spreading, adhesion and migration in the context of mineralization and bone development and angiogenesis. Stimulates cellular proliferation in a fibronectin-dependent manner. Involved in the regulation of beta-1 integrin-containing focal adhesion (FA) site dynamics by controlling its assembly rate during cell adhesion, inhibits beta-1 integrin clustering within FA by directly competing with talin TLN1, and hence stimulates osteoblast spreading and migration in a fibronectin- and/or collagen-dependent manner. Acts as a guanine nucleotide dissociation inhibitor (GDI) by regulating Rho family GTPases during integrin-mediated cell matrix adhesion, reduces the level of active GTP-bound form of both CDC42 and RAC1 GTPases upon cell adhesion to fibronectin. Stimulates the release of active CDC42 from the membranes to maintain it in an inactive cytoplasmic pool. Participates in the translocation of the Rho-associated protein kinase ROCK1 to membrane ruffles at cell leading edges of the cell membrane, leading to an increase of myoblast cell migration on laminin. Plays a role in bone mineralization at a late stage of osteoblast differentiation, modulates the dynamic formation of focal adhesions into fibrillar adhesions, which are adhesive structures</p>
-------------	---

Target Details

responsible for fibronectin deposition and fibrillogenesis. Plays a role in blood vessel development, acts as a negative regulator of angiogenesis by attenuating endothelial cell proliferation and migration, lumen formation and sprouting angiogenesis by promoting AKT phosphorylation and inhibiting ERK1/2 phosphorylation through activation of the Notch signaling pathway. Promotes transcriptional activity of the MYC promoter.
{ECO:0000269|PubMed:16741948, ECO:0000269|PubMed:17567669,
ECO:0000269|PubMed:17654484, ECO:0000269|PubMed:18227284,
ECO:0000269|PubMed:21768292}.

Molecular Weight:	21.6 kDa
UniProt:	O35671
Pathways:	Tube Formation

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months